

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



1.967
A2078
cop. 2

VOL. 21 INDEX

1971

U. S. DEPT. OF AGRICULTURE
NATIONAL AGRICULTURAL LIBRARY
RECEIVED

JUN 29 1972

PROCUREMENT SECTION
CURRENT SERIAL RECORDS

Cooperative
**ECONOMIC INSECT
REPORT**

Issued by

PLANT PROTECTION AND QUARANTINE PROGRAMS
ANIMAL AND PLANT HEALTH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

ANIMAL AND PLANT HEALTH SERVICE

PLANT PROTECTION AND QUARANTINE PROGRAMS

ECONOMIC INSECT SURVEY AND DETECTION STAFF

The Cooperative Economic Insect Report is issued weekly as a service to American Agriculture. Its contents are compiled from information supplied by cooperating State, Federal, and industrial entomologists and other agricultural workers. In releasing this material the Service serves as a clearing house and does not assume responsibility for accuracy of the material.

To facilitate mailroom handling, all reports, inquiries, and other matters pertaining to this release, including the mailing list, should be sent to:

The Editors, CEIR
Economic Insect Survey and Detection
Plant Protection and Quarantine Programs, APHS, USDA
Federal Center Building
Hyattsville, Maryland 20782

COOPERATIVE ECONOMIC INSECT REPORT

Volume 21

Index

1971

SPECIAL REPORTS

- Beet leafhopper survey in Texas 291
- Boll weevil: Hibernation survey - fall 1970 61, improved traps for capturing 367, new trap for capturing 773, spring survival - 1971 350
- Cereal leaf beetle: Distribution map 115, quarantine map 780
- Changes in scientific names 29, 106
- Cooperative survey entomologists 333, 577
- Corn earworm distribution and abundance in the United States 71
- European corn borer: Estimates of damage to grain corn in U.S. - 1970 557, distribution map 54, status 1970 47
- Grasshopper adult survey, fall 1970 (map) 18
- Hawaii insect report 19, 27, 34, 46, 59, 70, 85, 100, 112, 129, 165, 193, 214, 237, 266, 299, 314, 328, 350, 365, 383, 403, 421, 439, 460, 481, 499, 517, 536, 555, 572, 594, 608, 625, 636, 665, 675, 687, 700, 714, 725, 734, 744, 756, 782
- Imported fire ant: Bibliography 639, quarantine map 34
- Insect detection in the U.S. - 1970 6
- Insects not known to occur in the U.S.: Lappet moth 463, a scarab 385
- Light trap collections 5, 19, 26, 33, 60, 70, 85, 99, 128, 164, 192, 213, 237, 266, 298, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783
- Losses: European corn borer on grain corn - 1970 557, insects and related arthropods - 1970 759
- Maps (distribution): Alfalfa looper 316, alfalfa weevil 168, bagworm 268, brown recluse spider 248, cereal leaf beetle 115, European corn borer 54, European earwig 86, European pine sawfly 278, face fly 240, Mexican bean beetle 690, northern corn rootworm 150, oldhouse borer 746, oriental fruit moth 218, pea leaf weevil 352, pepper maggot 784, plum curculio 702, purplebacked cabbageworm 638, spruce aphid 716, sugarcane beetle 462, sweetclover weevil 502, tobacco flea beetle 596, tuber flea beetle 610, vetch bruchid 736, wheat stem sawfly 386
- Maps (quarantine): Cereal leaf beetle 780, gypsy moth 172, imported fire ant 34, Japanese beetle 242, pink bollworm 414, whitefringed beetles 618, witchweed 326
- Pink bollworm: Quarantine map 414, situation in the Trans-Pecos area of Texas 724
- State survey coordinators 330, 574
- Summary of insect conditions in the U.S. - 1970. Introduction 113. Beans and peas 198-200. Beneficial insects 252-256. Citrus 224-226. Cole crops 200-203. Contributors 288. Corn, sorghum, sugarcane 142-153. Cotton 179-182. Cucurbits 203-204. Deciduous fruits and nuts 215-224. Federal and State plant protection programs 113-122. Forage legumes 166-176. Forest and shade trees 271-287. General vegetables 204-206. Hawaii 101-105. Households and structures 249-251. Man and animals 239-249. Miscellaneous field crops 184. Ornamentals 267-271. Other tropical and subtropical fruits 226. Peanuts 178-179. Potatoes, tomatoes, peppers 194-198. Small fruit 226-228. Small grains 153-155. Soybeans 176-178. Special insects of regional significance 130-142. Stored products 251-252. Sugar beets 183-184. Tobacco 182. Turf, pastures, rangeland 156-158.
- Survey methods: Improved traps for capturing boll weevils 367, new trap for capturing boll weevils 773, selected references for first half of 1970, part XXXIII 35-40; last half of 1969, part XXXIV 87-94

Scientific names should be used to locate all page references, except for those insects or groups of insects where scientific names were not reported. In such instances, page references will be found under common names. A combination of common and scientific names of an insect or pest may not appear on the page referred to, but one or the other will be present. Underlined page numbers represent references to "Summary of Insect Conditions in the United States - 1970." Light trap collections for a particular species are listed at the end of pagination for that species under this heading.

Abagrotis alternata (a noctuid moth)
311

Acalitus essigi (redberry mite)
227

Acalymma vittatum (striped cucumber beetle)
203, 431, 451, 473, 528

Acanthomyops interjectus (larger yellow ant)
111

Acanthoscelides aureolus (a seed beetle)
8

Aceratagallia sanguinolenta (clover leafhopper)
184, 233, 261

Aceria vaccinii (blueberry bud mite)
227, 345

Acerophagus texanus (an encyrtid wasp)
8, 104

Achaea janata (croton caterpillar)
314

Achatina fulica (giant African snail)
27, 105, 116, 129, 299, 348, 383, 439, 517, 536, 608, 624, 675, 734, 755, 756

Acheta assimilis (a field cricket)
508

Acinia picturata (sourbush seed fly)
299

Acleris gloverana (western blackheaded budworm)
271

Acrobasis betulella (birch tubemaker)
8, 284

Acrobasis caryae (pecan nut casebearer)
215, 222, 295, 344, 360, 377, 396, 415, 433, 453, 475, 492, 513, 530, 589, 621

Acrobasis juglandis (pecan leaf casebearer)
98, 223

Acrobasis vaccinii (cranberry fruitworm)
226, 434

Acrolepia assectella (leek moth)
112, 365, 460, 782

Acronicta americana (American dagger moth)
684

Acrosternum hilare (green stink bug)
178

Aculops lycopersici (tomato russet mite)
198

Aculops magnolivora (an eriophyid mite)
25

Aculus comatus (an eriophyid mite)
474, 481

Acyrtosiphon festucae
340, 349

Acyrtosiphon pisum (pea aphid)
3, 17, 23, 32, 43, 57, 67, 81, 97, 109, 162, 166, 171-173, 188, 198, 200, 210, 233, 236, 255, 256, 261, 294, 309, 319, 322, 341, 357, 374, 393, 411, 418, 429, 431, 447, 470, 489, 509, 525, 545, 565, 586, 617, 631, 658, 671, 681, 730, 740, 751

Acyrtosiphon solani (foxglove aphid)
197, 491

Adalia bipunctata (twospotted lady beetle)
255, 381

Adelges abietis (eastern spruce gall aphid)
280, 345, 551, 623, 662

Adelges cooleyi (Cooley spruce gall aphid)
263, 270, 280, 311, 531, 662

Adelges piceae (balsam woolly aphid)
126, 211, 273, 280

Adelges tsugae (an adelgid)
8, 163, 190

Adelphocoris spp.
174

Adelphocoris lineolatus (alfalfa plant bug)
174, 448, 470, 489, 617

Adelphocoris rapidus (rapid plant bug)
174

Adelphocoris superbus (superb plant bug)
174

Adoretus sinicus (Chinese rose beetle)
101, 237, 383, 744, 756, 779

Aedes spp. (mosquitoes)
27, 85, 165, 243, 244, 297, 299, 312, 347, 398, 417, 477, 495, 532, 536, 552, 569, 594, 662, 675, 732, 734, 756, 782

Aedes abserratus
244, 456, 548, 552

Aedes canadensis
111, 264, 312, 399, 552

Aedes cinereus
243, 244, 347, 380, 477, 496, 515, 552, 569, 674

Aedes communis
244

Aedes dorsalis
243, 264, 398, 417, 455

Aedes excrucians
347, 380, 515, 591, 663, 674, 732

Aedes fitchii
347, 380, 515, 591, 663, 674, 732

Aedes flavescens
380

Aedes grossbecki
264, 312

Aedes increpitus
264

Aedes nigromaculis
362, 417, 552

Aedes riparius
780, 781

Aedes sollicitans (saltmarsh mosquito)
244, 417, 533

Aedes sticticus (floodwater mosquito)
244, 398, 515, 674

Aedes stimulans
243, 244, 264, 347, 380, 398, 496, 515, 569, 591, 663, 674, 732

Aedes taeniorhynchus
569

Aedes triseriatus
398, 569, 623, 674, 698

Aedes trivittatus
243, 244, 515, 674

Aedes vexans
243, 244, 347, 362, 380, 398, 417, 455, 456, 477, 495, 515, 532-533, 552, 569, 591, 623, 634, 663, 674, 685, 698, 711, 732

Aedes vexans nocturnus (vexans mosquito)
27, 85, 104, 165, 299, 365, 536, 594, 675, 734, 756, 782

Aeoloplides turnbulli (a grasshopper)
438, 663, 712

Aeolus livens (a wireworm)
8

Agallia constricta (a leafhopper)
322, 342, 374

Agalliopsis novella (a leafhopper)
374

Agasicles sp. (a leaf beetle)
255

Agathis spp. (braconids)
105, 439

Agathis stigmatera
145

Ageneotettix deorum (a grasshopper)
5, 117, 118, 479, 516, 663, 674, 699, 712

Agkistrocerus megerlei (a tabanid fly)
732, 733

Aglossa pinguinalis (a pyralid moth)
8

Agonoderus lecontei (seedcorn beetle)
372, 409, 427

Agrilus anxius (bronze birch borer)
283, 398, 436, 493, 731, 742

Agrilus ruficollis (rednecked cane borer)
453

Agrius cingulatus (sweetpotato hornworm)*
59, 731, 752, 757

Agromyza spp. (leafminer flies)
176, 393, 448, 617, 658, 695

Agromyza parvicornis (corn blotch leafminer)
391

Agrotis gladiaria (claybacked cutworm)
146

Agrotis ipsilon (black cutworm)
142, 146-147, 200, 292, 344, 355, 372, 390, 394, 408, 427, 445, 487, 490, 511, 526, 670. Light traps: 5, 19, 26, 33, 60, 70, 85, 128, 164, 192, 213, 237, 266, 298, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783

Agrotis orthogonia (pale western cutworm)
81, 130, 147, 153, 260, 293, 308, 319, 320, 340, 356, 372, 391, 427, 446, 750

Agrotis venerabilis
175

Alabama argillacea (cotton leafworm)
708, 757

Alcaesorrhynchus grandis (a stink bug)
256

Alconeura quadrimaculata (a leafhopper)
25

Alder flea beetle
(Altica ambiens)

Aleurocanthus woglumi (citrus blackfly)
84, 114, 192, 313, 363, 457, 516, 686, 724, 733, 755

Aleurocybotus occiduus (a whitefly)
670

Aleurothrix floccosus (woolly whitefly)
45, 122, 128, 265, 326, 572, 686, 743

Aleyrodes spiraeoides (a whitefly)
8, 270, 633

Alfalfa caterpillar
(Colias eurytheme)

Alfalfa leafcutter bee
(Megachile rotundata)

Alfalfa looper
(Autographa californica)

Alfalfa plant bug
(Adelphocoris lineolatus)

Alfalfa seed chalcid
(Bruchophagus roddi)

Alfalfa snout beetle
(Brachyrhinus ligustici)

Alfalfa weevil
(Hypera postica)

Alkali bee
(Nomia melanderi)

Alloecranum biannulipes (a reduviid bug)
34

Allograpta obliqua (a syrphid fly)
105

Almond moth
(Cadra cautella)

Alsophila pomataria (fall cankerworm)
263, 283, 296, 325, 346, 379, 417, 711

Altica sp.
227

Altica ambiens (alder flea beetle)
684

Altica carinata (elm flea beetle)
346

Altica chalybea (grape flea beetle)
227, 324

Amathes c-nigrum (spotted cutworm)
528

Amblycerus robiniae (a seed beetle)
8, 298

Amblyomma americanum (lone star tick)
236, 247, 312, 363, 381, 399, 418, 456

Amblyomma cajennense (Cayenne tick)
347, 418

Amblyomma maculatum (Gulf Coast tick)
247, 381

Amblyomma variegatum (a hardbacked tick)
235

* Also carried as Herse cingulata in Vol. 21.

- American black flour beetle
(*Tribolium auidax*)
- American cockroach
(*Periplaneta americana*)
- American dagger moth
(*Acrionicta americana*)
- American dog tick
(*Dermacentor variabilis*)
- American grasshopper
(*Schistocerca americana*)
- American plum borer
(*Euzophera semifuneralis*)
- Amphimallon majalis (European chafer)
114, 327, 363, 382, 479, 497
- Amphitornus coloradus (a grasshopper)
498, 516, 663, 674
- Anabrus simplex (Mormon cricket)
120, 354, 382, 401, 438, 459, 498,
624, 635, 699
- Anacamptodes cypressaria (a geometrid
moth) 211, 283
- Anacamptodes fragilaria (koa hacle
looper) 70, 100, 101, 103, 165, 328,
517, 608, 782
- Anacetrinus deplanatus (a weevil)
151, 777, 781
- Anagasta kuehniella (Mediterranean flour
moth) 297
- Anagrapha falcifera (celery looper)
395, 565
- Anagyrus antoninae (an encyrtid wasp)
104
- Ananca kanack (an oedemerid beetle)
594
- Anaphes flavipes (a mymarid wasp)
400, 419
- Anaphothrips obscurus (grass thrips)
488
- Anarsia lineatella (peach twig borer)
216, 414, 529, 661
- Anasa tristis (squash bug)
203, 431, 473, 696
- Anastatus koebelii (a eupelmid wasp)
734
- Anastrepha ludens (Mexican fruit fly)
120, 164, 313, 327, 364, 365, 420,
459, 606
- Anastrepha nigrifascia
530, 724
- Anastrepha suspensa (Caribbean fruit
fly) 114, 164, 348
- Anatis lecontei (a lady beetle)
313
- Anatis quindecimpunctata
374, 381
- Anavitrinella pampinaria (cranberry
spanworm) 731
- Ancyliis comptana fragariae (strawberry
leafroller) 227, 324, 361
- Aneristus ceroplastae (a eulophid wasp)
756
- Angoumois grain moth
(*Sitotroga cerealella*)
- Anisota senatoria (orangestriped
oakworm) 284
- Anocentor nitens (tropical horse tick)
249, 347
- Anomala orientalis (oriental beetle)
157
- Anomis flava (hibiscus caterpillar)
328
- Anopheles spp.
591, 674
- Anopheles punctipennis
399, 623, 698
- Anopheles quadrimaculatus (common
malaria mosquito) 191, 698
- Anopheles walkeri
674, 685, 732
- Anthrenus bipunctatus (a melioid
beetle) 212
- Anthrenus eugenii (pepper weevil)
195, 383, 608
- Anthrenus grandis (boll weevil)
32, 61, 113, 179, 294, 309, 313, 322,
342, 350, 358, 367-368, 375, 393, 411,
430, 437, 449, 457, 471, 479, 490, 497,
510, 525, 546, 553, 566, 586, 587, 602,
618, 632, 659, 671, 682, 695, 708, 720,
730, 740, 751, 773
- Anthrenus musculus (cranberry weevil)
295
- Anthrenus signatus (strawberry weevil)
227, 324
- Anthrophora occidentalis (a bee)
418
- Anthrax distigma (a bombyliid fly)
499, 500
- Anthrenus museorum (a dermestid beetle)
780, 781
- Anthrenus scrophulariae (carpet beetle)
251
- Antianthe expansa (a membracid bug)
535, 536, 572, 675, 700, 744
- Anticarsia gemmatalis (velvetbean
caterpillar) 176, 177, 255, 602, 631,
682, 695, 708, 720, 721
- Antonina graminis (Rhodesgrass scale)
104
- Apatolestes comastes (a tabanid fly)
533
- Anuraphis maidiradicis (corn root aphid)
427
- Aonidiella aurantii (California red
scale) 24, 163, 189, 225, 295, 396,
590
- Aonidiella citrina (yellow scale)
24, 44, 82, 98, 163, 189, 262, 311,
360, 378, 434, 453, 530, 550, 589, 621,
661, 721, 731, 741
- Apamea indocilis (a noctuid moth)
8
- Apanteles spp. (braconids)
145, 254, 458, 514
- Apanteles cinctiformis
8
- Apanteles congregatus
141
- Apanteles electrae
277
- Apanteles miantonomoi
8
- Apanteles militaris
105, 505
- Apanteles portheiriae
118
- Apphaereta pallipes (a braconid)
254
- Aphidius pulcher (a braconid)
173
- Aphidius smithi
348
- Aphis craccivora (cowpea aphid)
162, 198, 200, 261, 294, 481, 660
- Aphis fabae (bean aphid)
184, 696, 700
- Aphis gossypii (cotton aphid)
34, 182, 203, 226, 322, 342, 343, 358,
376, 394, 473
- Aphis hederiae (ivy aphid)
8, 18, 58, 59, 60, 270
- Aphis helianthi
8
- Aphis nasturtii (buckthorn aphid)
450, 473, 491
- Aphis nerii
299
- Aphis pomi (apple aphid)
126, 210, 215, 219, 234, 262, 344, 433,
492, 513
- Aphis spiraeicola (spirea aphid)
270
- Aphodius haemorrhoidalis (a scarab)
8
- Aphodius washtucna
8
- Aphrophora parallela (pine spittlebug)
298, 345, 361, 379, 397, 416, 454
- Aphrophora saratogensis (Saratoga
spittlebug) 280, 514
- Aphyus eruptor (an encyrtid wasp)
103
- Aphyus luteolus
434
- Aphyus mexicanus (an encyrtid wasp)
165, 328, 625, 756
- Aphyus portoricensis*
- Aphytis spp. (aphelinid wasps)
266
- Apion antiquum (South African emex
weevil) 27, 350
- Apion longirostre (hollyhock weevil)
8, 83, 85, 211, 213, 269, 378, 397,
402, 416, 432, 435, 475, 481, 493, 500,
512, 513, 531, 535, 548, 550, 567, 753,
757
- Apion ulicis
555
- Apis mellifera (honey bee)
5, 45, 59, 252, 265, 327, 348, 497,
534, 663, 723, 754
- Apotoforma sp. (a tortricid moth)
46, 214, 725, 782
- Apple aphid
(*Aphis pomi*)
- Apple curculio
(*Tachypterellus quadrigibbus*)
- Apple grain aphid
(*Rhopalosiphum fitchii*)
- Apple maggot
(*Rhagoletis pomonella*)
- Apple mealybug
(*Phenacoccus aceris*)
- Apristus constrictus (a ground beetle)
729, 733
- Apterona crenulella (a psychid moth)
157, 234, 524, 531, 535
- Araecerus fasciculatus (coffee bean
weevil) 251, 252, 778
- Archips argyrospilus (fruittree leaf-
roller) 216, 284, 377, 378, 379, 396,
476, 494
- Archips cerasivoranus (uglynest
caterpillar) 216
- Archips georgiana (a tortricid moth)
226
- Archips semiferanus
435, 494
- Argentine ant
(*Iridomyrmex humilis*)
- Argyrotaenia citrana (orange tortrix)
226
- Argyrotaenia pinatubana (pine tube moth)
32, 33
- Argyrotaenia velutinana (redbanded
leafroller) 216, 226, 310, 323, 344,
378, 396, 414, 452
- Aristotelia fragariae (strawberry
crownminer) 226
- Armadiidium vulgare (a pillbug)
358
- Army cutworm
(*Buxoa auxiliaris*)
- Armyworm
(*Pseudaletia unipuncta*)
- Aroga websteri (sagebrush defoliator)
157, 508, 694, 700
- Artichoke plume moth
(*Platyptilia carduidactyla*)
- Ash borer
(*Podosesia syringae fraxini*)
- Ash plant bug
(*Tropidosteptes amoenus*)
- Asiatic garden beetle
(*Maladera castanea*)

* Carried as *Metaphycus portoricensis*
in Vol. 21.

- Asiatic oak weevil
(*Cyrtopistomus castaneus*)
Asparagus aphid
(*Brachycolus asparagi*)
Asparagus beetle
(*Crioceris asparagi*)
Asparagus miner
(*Ophiomyia simplex*)
Aspen blotchminer
(*Lithocolletis tremuloidiella*)
Aspidiotus destructor (coconut scale)
19, 34, 85, 103, 193, 266, 328, 365,
594, 608, 714
Aster leafhopper
(*Macrostelus fascifrons*)
Asterolecanium pustulans (a pit scale)
636
Atractomorpha sinensis (pinkwinged
grasshopper) 266
Atriplex sp. (a soft scale)
109
Atta texana (Texas leafcutting ant)
325
Aulocara sp. (a grasshopper)
498
Aulocara elliotii
117, 118, 401, 420, 438, 479, 498, 534,
554, 674, 699, 712
Australian cockroach
(*Periplaneta australasiae*)
Autographa californica (alfalfa looper)
294, 316, 321, 374, 431, 567
Autographa falcifera (a noctuid moth)
374
Azalea caterpillar
(*Datana major*)
Azalea leafminer
(*Gracillaria azaleella*)
Azya luteipes (a lady beetle)
59, 675
- B**
- Bagworm
(*Thyridopteryx ephemeraeformis*)
Bakericheyla chanayi (a cheyletid mite)
8, 104
Baldfaced hornet
(*Vespa maculata*)
Balsam fir sawfly
(*Neodiprion abietis*)
Balsam twig aphid
(*Mindarus abietinus*)
Balsam woolly aphid
(*Adelges piceae*)
Banded sunflower moth
(*Phalonia hospes*)
Bandedwing whitefly
(*Trialeurodes abutilonea*)
Banks grass mite
(*Oligonychus pratensis*)
Bark beetles
271, 272, 273
Barley thrips
(*Limothrips denticornis*)
Barnacle scale
(*Ceroplastes cirripediformis*)
Bathyplectes spp. (ichneumon wasps)
327, 363, 699
Bathyplectes anura
253, 363, 365, 437
Bathyplectes curculionis
166, 169, 170, 191, 252, 253, 254,
340, 348, 363, 374, 400, 410, 418,
437, 457, 478, 496, 534, 585, 699
Bean aphid
(*Aphis fabae*)
Bean butterfly
(*Lampides boeticus*)
Bean fly
(*Melanagromyza phaseoli*)
Bean leaf beetle
(*Cerotoma trifurcata*)
Bean thrips
(*Caliothrips fasciatus*)
Bed bug
(*Cimex lectularius*)
Bedellia orchilella (sweetpotato
leafminer) 70
Beech scale
(*Cryptococcus fagisuga*)
Beet armyworm
(*Spodoptera exigua*)
Beet leafhopper
(*Circulifer tenellus*)
Beet leafminer
(*Pegomya betae*)
Beet webworm
(*Loxostege sticticalis*)
Bipalium kewense (a planarian flatworm)
9
Birch leafminer
(*Fenusa pusilla*)
Birch skeletonizer
(*Bucculatrix canadensisella*)
Birch tube maker
(*Acrobasis betulella*)
Black blister beetle
(*Epicauta pennsylvanica*)
Black blow fly
(*Phormia regina*)
Black carpenter ant
(*Camponotus pennsylvanicus*)
Black cherry aphid
(*Myzus cerasi*)
Black cherry fruit fly
(*Rhagoletis fausta*)
Black cutworm
(*Agrotis ipsilon*)
Black flies
245, 362, 381
Blackheaded ash sawfly
(*Tethida cordigera*)
Blackheaded fireworm
(*Rhopobota naevana*)
Black horse fly
(*Tabanus atratus*)
Blacklegged tick
(*Ixodes scapularis*)
Blackmargined aphid
(*Monellia costalis*)
Black parlatoria scale
(*Parlatoria zizyphus*)
Black peach aphid
(*Brachycaudus persicae*)
Black pecan aphid
(*Tinocallis caryaefoliae*)
Black pineleaf scale
(*Nuculaspis californica*)
Black scale
(*Saissetia oleae*)
Black turpentine beetle
(*Dendroctonus terebrans*)
Black vine weevil
(*Brachyrhinus sulcatus*)
Blapstinus spp. (darkling beetles)
195
Blapstinus oregonensis
155
Blatta orientalis (oriental cockroach)
111, 250
Blattella germanica (German cockroach)
26, 111, 250, 754, 757
Blissus spp.
156, 158, 616, 681, 740
Blissus insularis (southern chinch bug)
158, 340, 356, 488, 617, 740, 750, 757
Blissus leucopterus hirtus (hairy chinch
bug) 158, 616, 681
Blissus leucopterus leucopterus (chinch
bug) 3, 152, 153, 158, 187, 260, 372,
427, 446, 488, 508, 524, 585, 616, 631,
681, 740, 778
Bloodsucking conenose
(*Triatoma sanguisuga*)
Blueberry bud mite
(*Aceria vaccinii*)
Blueberry maggot
(*Rhagoletis mendax*)
Bluegrass billbug
(*Sphenophorus parvulus*)
Bluegrass webworm
(*Crambus teterrellus*)
Boll weevil
(*Anthonomus grandis*)
Bollworm
(*Heliothis zea*)
Bombotelia jocosatrix (large mango tip
borer) 349, 350, 744
Boopedon sp. (a grasshopper)
479
Boopedon nubulum
117
Boophilus spp. (hardbacked ticks)
26, 58, 111, 235, 363, 399, 418, 515,
592, 723
Boophilus annulatus (cattle tick)
111, 515, 592
Boophilus microplus (southern cattle
tick) 111, 235, 515, 592
Bothynus gibbosus (carrot beetle)
255
Bovicola bovis (cattle biting louse)
246
Bovicola equi (horse biting louse)
246, 478
Boxelder bug
(*Leptocoris trivittatus*)
Boxelder twig borer
(*Proteoteras willingana*)
Boxwood leafminer
(*Monarthropalpus buxi*)
Brachycaudus helichrysi
513
Brachycaudus persicae (black peach
aphid) 220
Brachycolus asparagi (asparagus aphid)
6, 9, 205, 310, 376, 473, 512, 548,
567, 633, 660, 664, 709, 714
Brachymeria intermedia (a chalcid)
118
Brachyrhinus spp.
269
Brachyrhinus ligustici (alfalfa snout
beetle) 321
Brachyrhinus ovatus (strawberry root
weevil) 158, 184, 227, 269
Brachyrhinus rugosostriatus
158, 227, 269
Brachyrhinus singularis
227, 393, 402
Brachyrhinus sulcatus (black vine weevil)
98, 227, 233, 269, 345
Braconids
553, 733
Bradysia picea (a sciarid fly)
245
Brevicoryne brassicae (cabbage aphid)
102, 202, 261, 403, 451
Brevipalpus lewisi (citrus flat mite)
222, 378, 568
Bristly cutworm
(*Lacinipolia renigera*)
Bronze birch borer
(*Agrilus anxius*)
Brownbanded cockroach
(*Supella longipalpa*)
Brown citrus aphid
(*Toxoptera citricida*)
Brown cockroach
(*Periplaneta brunnea*)
Brown dog tick
(*Rhipicephalus sanguineus*)

Brown garden snail
(*Helix aspersa*)
Brown recluse spider
(*Loxosceles reclusa*)
Brown soft scale
(*Coccus hesperidum*)
Brown spider beetle
(*Ptinus clavipes*)
Brown stink bug
(*Euschistus servus*)
Browntail moth
(*Nygmia phaeorrhoea*)
Brown wheat mite
(*Petrobia latens*)
Bruchophagus platyptera (clover seed
chalcid) 694
Bruchophagus roddi (alfalfa seed
chalcid) 176, 631
Bruchus brachialis (vetch bruchid)
171, 736
Bruchus pisorum (pea weevil)
199, 711
Bryobia praetiosa (clover mite)
23, 210, 212, 233, 251
Bucculatrix ainsliella (oak skeletonizer)
283, 494
Bucculatrix canadensisella (birch
skeletonizer) 283, 723
Bucculatrix thurberiella (cotton leaf-
perforator) 299, 375, 511, 603, 619,
696, 708, 740
Buck moth
(*Hemileuca maia*)
Buckthorn aphid
(*Aphis nasturtii*)
Bumblebees
534, 553
Buprestis aurulenta (golden buprestid)
191
Byturus rubi (eastern raspberry fruitworm)
397

C

Cabbage aphid
(*Brevicoryne brassicae*)
Cabbage looper
(*Trichoplusia ni*)
Cabbage maggot
(*Hylemya brassicae*)
Cabbage webworm
(*Hellula rogatalis*)
Cactoblastis cactorum (a cactus moth)
714
Cadelle
(*Tenebroides mauritanicus*)
Cadra cautella (almond moth)
251, 252
California oakworm
(*Phryganidia californica*)
California pearslug
(*Fristiphora abbreviata*)
California red scale
(*Aonidiella aurantii*)
Caliothrips fasciatus (bean thrips)
198, 200, 548
Caliroa cerasi (pearslug)
221, 360, 529, 549, 568, 661
Calleida decora (a carabid beetle)
255
Calligrapha scalaris (elm calligrapha)
264
Callirhytis cornigera (a cynipid wasp)
380
Callirhytis milleri
25
Callirhytis perdens
68
Callirhytis punctata
622

Callopietria sp. (a noctuid moth)
572, 665
Calocalpe undulata
See *Hydria undulata*
Calomycterus setarius (a Japanese weevil)
9, 251
Calosoma calidum (fiery hunter)
255
Calosoma frigidum (a carabid beetle)
281
Calosoma sycophanta
281
Calpodes ethlius (larger canna leafroller)
697
Camellia scale
(*Lepidosaphes camelliae*)
Camnula pellucida (clearwinged grasshopper)
117, 458, 498, 534, 592, 606, 663, 674
Camponotus perdistinctus (an ichneumon
wasp) 496, 497
Camponotus spp.
99, 250
Camponotus ferrugineus (red carpenter ant)
99
Camponotus pennsylvanicus (black carpenter
ant) 99, 250
Camponotus subbarbatus
9
Cane leafhopper egg sucker
(*Tythus mundulus*)
Cankerworms
263, 379, 417
Capitophorus spp. (aphids)
270
Cardiochiles nigriceps (a braconid)
535
Caribbean fruit fly
(*Anastrepha suspensa*)
Carmine spider mite
(*Tetranychus cinnabarinus*)
Carpenter ants
250
Carpet beetle
(*Anthrenus scrophulariae*)
Carpophilus lugubris (dusky sap beetle)
152, 524
Carrion beetle
(*Silpha bituberosa*)
Carrot beetle
(*Bothynus gibbosus*)
Carrot rust fly
(*Psila rosae*)
Carrot weevil
(*Listronotus oregonensis*)
Carulaspis giffardi (an armored scale)
46
Carulaspis juniperi (juniper scale)
270, 753, 757
Casiniaria infesta (an ichneumon wasp)
555, 734, 756
Cat flea
(*Ctenocephalides felis*)
Catabena esula (a noctuid moth)
19, 531
Catalpa sphinx
(*Ceratonia catalpae*)
Cattle biting louse
(*Bovicola bovis*)
Cattle lice
16, 127, 212, 236
Cattle tail louse
(*Haematopinus quadripertusus*)
Cattle tick
(*Boophilus annulatus*)
Caulocampus acericaulis (maple petiole
borer) 417
Cayenne tick
(*Amblyomma cajennense*)
Cecidomyia piniinopsis (a cecidomyiid midge)
753
Cecidomyia resinicoloides (Monterey pine
resin midge) 271

Cecidomyia texana
184, 707
Cecidophopsis psilaspis (an
eriphyid mite) 9, 270
Celama sorghiella (sorghum webworm)
147, 507, 601, 613, 616, 630, 657, 669,
670, 693, 705
Celery looper
(*Anagrapha falcifera*)
Centruroides keysi (keys striped
scorpion) 780
Cephenemyia jellisoni (a nose bot fly)
417
Cephus cinctus (wheat stem sawfly)
153-155, 386, 391, 680
Ceramica picta (zebra caterpillar)
175, 183, 567, 708
Ceratitis capitata (Mediterranean fruit
fly) 27
Ceratocombus vagans (a jumping ground
bug) 460
Ceratonia catalpae (catalpa sphinx)
733
Cereal leaf beetle
Oulema melanopus
Cerrococcus kalmiae (a pit scale)
697, 700
Cerrococcus parrotti
380, 385
Ceroplastes ceriferus (a soft scale)
270
Ceroplastes cirripediformis (barnacle
scale) 103, 104, 112, 165, 266, 328,
517, 594, 625, 725, 756
Ceroplastes irregularis
109, 112
Cerotoma trifurcata (bean leaf beetle)
32, 176, 199, 233, 359, 413, 430, 448,
565, 682, 696, 707
Chaetocnema spp.
409, 508
Chaetocnema confinis (sweetpotato flea
beetle) 158, 204, 373, 413
Chaetocnema ectypa (desert corn flea
beetle) 151, 390, 409, 508, 602
Chaetocnema pulicaria (corn flea beetle)
151, 320, 355, 372, 390, 409, 427, 508,
524, 544, 564, 584
Chaetogaedia monticola (a tachinid fly)
328
Chaetophloeus heterodoxus (a bark beetle)
684, 688
Chaff scale
(*Parlatoria pergandii*)
Chalcodermus aeneus (cowpea curculio)
198, 199
Chalcolepidius erythroloma (a click
beetle) 421
Chelospistes meleagridis (large turkey
louse) 127, 128
Cherry fruit fly
(*Rhagoletis cingulata*)
Cherry fruitworm
(*Grapholitha packardii*)
Cheumatopsyche analis (a caddisfly)
756, 757, 781, 782
Chilocorus stigma (twicestabbed lady
beetle) 711
Chinch bug
(*Blissus leucopterus leucopterus*)
Chinese rose beetle
(*Adoretus sinicus*)
Chirothrips mexicanus (a thrips)
155
Chlorochroa sayi (Say stink bug)
174, 184, 198
Chlorotabanus crepuscularis (a tabanid fly)
245, 456
Choristoneura conflictana (large aspen
tortrix) 273, 277, 476, 514
Choristoneura fumiferana (spruce budworm)
275, 277, 397, 416, 475, 493, 514, 569

- Choristoneura houstonana (a tortricid moth) 267
- Choristoneura occidentalis (western spruce budworm) 271, 272
- Choristoneura pinus (jack pine budworm) 254, 277, 435, 454, 475, 514
- Choristoneura rosaceana (obliquebanded leafroller) 216, 474
- Choristoneura zapulata 267
- Chorizagrotis auxiliaris
See Euxoa auxiliaris
- Chorthippus curtipennis (a grasshopper) 554
- Chromaphis juglandicola (walnut aphid) 223, 712
- Chrysobothris floricola (a buprestid beetle) 605
- Chrysodeixis chalcites (a noctuid moth) 27, 214
- Chrysolina spp. (chrysomelid beetles) 478
- Chrysolina quadrigemina (a klamathweed beetle) 252, 255, 381
- Chrysomela scripta (cottonwood leaf beetle) 211, 286, 346, 417
- Chrysomelid beetles 346
- Chrysomphalus anidum (Florida red scale) 100, 102, 214, 460
- Chrysomyia spp. (blow flies) 104
- Chrysomyia megacephala 104
- Chrysopa spp. (green lacewings) 192, 256, 457, 604, 723
- Chrysopa colorandensis 256
- Chrysopa oculata (goldeneye lacewing) 256, 297
- Chrysops spp. (deer flies) 245, 456, 477, 533
- Chrysops aestuans 533
- Chrysops discalis 456, 533
- Chrysops indus 9
- Chrysops moechus 245
- Chrysoteuchia topiaria (cranberry girdler) 156, 361, 434
- Cigarette beetle (Lasioderma serricorne)
- Cimex lectularius (bed bug) 246
- Cinara carolina (a conifer aphid) 555, 594, 714
- Cinara curvipes 234
- Cinara palmerae 9
- Cinara pinivora 779, 781
- Cinara strobii (white pine aphid) 98, 234, 416, 435
- Cinara tuafilina 4, 165, 263, 280, 296
- Circulifer tenellus (beet leafhopper) 31, 43, 81, 125, 132-133, 184, 231, 259, 291, 307, 339, 371, 407, 425, 443, 467, 521, 561, 581, 599, 655, 669, 693, 705, 719, 749
- Citheronia regalis (hickory horned devil) 247
- Citrus blackfly (Aleurocanthus woglumi)
- Citrus flat mite (Brevipalpus lewisi)
- Citrus mealybug (Planococcus citri)
- Citrus red mite (Panonychus citri)
- Citrus rust mite (Phyllocoptruta oleivora)
- Citrus thrips (Scirtothrips citri)
- Citrus whitefly (Dialeurodes citri)
- Clastoptera achatina (pecan spittlebug) 224, 396, 415, 492
- Clavaspis subsimilis (an armored scale) 235, 236, 265
- Claybacked cutworm (Agrotis gladiaria)
- Clearwinged grasshopper (Cammula pellucida)
- Clivina impressifrons (slender seedcorn beetle) 372, 427
- Clouded plant bug (Neurocolpus nubilus)
- Cloudywinged whitefly (Dialeurodes citrifolii)
- Clover head weevil (Hypera meles)
- Clover leafhopper (Aceratagallia sanguinolenta)
- Clover leaf weevil (Hypera punctata)
- Clover mite (Bryobia praetiosa)
- Clover root curculio (Sitona hispidulus)
- Clover seed chalcid (Bruchoaphagus platyptera)
- Clover stem borer (Languria mozardi)
- Cluster fly (Pollenia rudis)
- Cnephasia longana (omnivorous leaf-tier) 344, 375, 434
- Coccidoxenus mexicanus (an encyrtid wasp) 103, 104, 112, 266, 328, 517, 625
- Coccinella novemnotata 494, 711
- Coccinella septempunctata bruckii 19, 34, 105
- Coccinella transversoguttata (transverse lady beetle) 255, 614
- Coccus hesperidum (brown soft scale) 24, 98, 234, 270, 378, 434, 700, 722, 752
- Coccus viridis (green scale) 59, 102, 237
- Cochliomyia hominivorax (screwworm) 4, 18, 25, 33, 44, 58, 68, 83, 99, 110, 127, 190, 192, 211, 235, 239, 264, 296, 312, 326, 346, 362, 380, 399, 417, 436, 455, 477, 495, 532, 551, 569, 591, 605, 623, 662, 685, 698, 711, 723, 732, 742, 754, 780
- Cocklebur weevil (Rhodoabaenus tredecimpunctatus)
- Cockroaches 111, 250
- Cocoon leafroller (Hedylepta blackburni)
- Cocoon scale (Aspidiotus destructor)
- Codling moth (Laspeyresia pomonella)
- Coelophora sp. 403
- Coelophora inaequalis (common Australian lady beetle) 481, 555, 734
- Coffee bean weevil (Araecerus fasciculatus)
- Colaspis flavida (a leaf beetle) 488
- Colaspis pini (pine colaspis) 493
- Coleomegilla maculata (a lady beetle) 69, 111, 255, 297, 347, 381, 437, 456, 515, 553, 592, 614, 711
- Coleophora laricella (larch casebearer) 9, 271, 622
- Coleotechnites milleri (lodgepole needleminer) 272, 753
- Colias eurytheme (alfalfa caterpillar) 125, 174, 294, 321, 411, 489, 545, 565, 602, 617, 658, 670, 681, 695, 706, 720, 730, 740, 751
- Collops spp. (melyrid beetles) 381, 592, 723
- Collops quadrimaculatus 381
- Collops vittatus 255
- Coloradia pandora lindseyi (a saturniid moth) 277, 550
- Colorado potato beetle (Leptinotarsa decemlineata)
- Common Australian lady beetle (Coelophora inaequalis)
- Common cattle grub (Hypoderma lineatum)
- Common malaria mosquito (Anopheles quadrimaculatus)
- Comstock mealybug (Pseudococcus comstocki)
- Confused flour beetle (Tribolium confusum)
- Conoderus falli (southern potato wireworm) 151, 182, 195, 340
- Conoderus vespertinus (tobacco wireworm) 182
- Conotrachelus nenuphar (plum curculio) 217, 227, 310, 396, 414, 452, 529, 702
- Contarinia spp. (cecidomyiid midges) 604, 619
- Contarinia sorghicola (sorghum midge) 142, 152, 469, 488, 508, 524, 544, 564, 585, 601, 616, 630, 657, 670, 680, 700, 705, 719, 734, 739, 749, 782
- Convergent lady beetle (Hippodamia convergens)
- Coolley spruce gall aphid (Adelges coolleyi)
- Copidosoma truncatellum (an encyrtid wasp) 27
- Copris incertus procius (a scarab) 555
- Coptosoma xanthogramma (a plataspid bug) 46, 70, 85, 103, 214, 237, 350
- Coptotermes formosanus (Formosan subterranean termite) 364, 421, 438
- Coquillettia perturbans (a mosquito) 243, 495, 515, 532, 552, 569, 591, 674, 732
- Cordillacris sp. (a grasshopper) 498
- Cordillacris occipitalis 438
- Corn blotch leafminer (Agromyza parvicornis)
- Corn earworm (Heliothis zea)
- Corn flea beetle (Chaetocnema pulicaria)
- Corn leaf aphid (Rhopalosiphum maidis)
- Corn planthopper (Peregrinus maidis)
- Corn root aphid (Anuraphis maidiradicis)
- Corn root webworm (Crambus caliginosellus)
- Corythucha arcuata (oak lace bug) 710
- Corythucha cydoniae (hawthorn lace bug) 732, 733
- Corythucha montivaga 742, 743
- Cosmobaris americana (a weevil) 183
- Cosymbia serrulata (kiawe flower looper) 299, 328, 439

Cotinis nitida (green June beetle)
157, 254, 524
Cotton aphid
(Aphis gossypii)
Cotton fleahopper
(Pseudatomoscelis seriatus)
Cotton leafperforator
(Bucculatrix thurberiella)
Cotton leafworm
(Alabama argillacea)
Cottonwood leaf beetle
(Chrysomela scripta)
Cottonycushion scale
(Icerya purchasi)
Cottony maple scale
(Fulvina innumerabilis)
Cowpea aphid
(Aphis craccivora)
Cowpea curculio
(Chalcodermus aeneus)
Crambus spp. (sod webworms)
156, 408
Crambus bonifatellus
156
Crambus caliginosellus (corn root
webworm) 408
Crambus teterrellus (bluegrass webworm)
157
Cranberry fruitworm
(Acrobasis vaccinii)
Cranberry girdler
(Chrysoteuchia topiaria)
Cranberry spanworm
(Anavitrinella pampinaria)
Cranberry weevil
(Anthonomus musculus)
Cratichneumon subulatus (an ichneumon
wasp) 281
Crioceris spp. (asparagus beetles)
395
Crioceris asparagi (asparagus beetle)
9, 204, 395, 413, 432
Crioceris duodecimpunctata (spotted
asparagus beetle) 9, 192, 204, 395,
413, 451, 473, 548
Croesia albicomana (oak leaf-tier)*
83, 204, 435, 455, 494, 622
Croesia semipurpurana (oak leaf-tier)
See Croesia albicomana
Croesia latitarsus (dusky birch sawfly)
605
Cross-striped cabbageworm
(Evergestis rimosalis)
Croton caterpillar
(Achaea janata)
Cryptoblabes aliena (a pyralid moth)
700, 734, 744, 782
Cryptochetum iceryae (a cryptochetid fly)
105, 594
Cryptococcus fagisuga (beech scale)
273
Cryptolaemus montrouzieri (a lady beetle)
59, 401, 460, 536
Cryptolestes pusillus (flat grain beetle)
191, 780
Cryptophlebia ombrodelta (litchi fruit
moth) 481
Cryptorhynchus lapathi (poplar-and-
willow borer) 126
Cryptotermes brevis (a powderpost
termite) 250, 421
Ctenicera pruinina (Great Basin wireworm)
125
Ctenocephalides spp.
246
Ctenocephalides canis (dog flea)
246

* Also carried as Croesia semipurpurana
and in error as Argyrotaxa semipur-
purana in Vol. 21.

Ctenocephalides felis (cat flea)
239, 246
Cuban laurel thrips
(Gynaikothrips ficorum)
Culex spp. (mosquitoes)
27, 85, 165, 243, 299, 365, 398, 477,
536, 594, 623, 675, 698, 734, 756, 782
Culex pipiens
244
Culex pipiens quinquefasciatus (southern
house mosquito) 27, 85, 104, 165, 191,
244, 264, 299, 326, 365, 533, 536, 594,
675, 734, 756, 782
Culex restuans
244, 399, 456, 623, 698, 711, 732
Culex salinarius
191, 244
Culex tarsalis
9, 244, 264, 362, 398, 417, 495, 532,
552, 569, 623, 674, 685
Culex territans
244
Culicoides sp. (a biting midge)
245
Culiseta inornata (a mosquito)
191, 264, 347, 362, 380, 399, 456, 685,
711, 732
Culiseta morsitans
674, 685, 711, 732
Cupes clathratus (a cupesid beetle)
6, 102
Curculio caryae (pecan weevil)
9, 44, 223, 621, 661, 683, 696, 709,
741, 752
Currant borer
(Synanthedon tipuliformis)
Cutworms
395, 431, 568
Cyclamen mite
(Steneotarsonemus pallidus)
Cylas formicarius elegantulus (sweetpotato
weevil) 45, 46, 121, 236, 266, 635
Cylindrocopturus eatoni (a weevil)
25
Cyrtopistomus castaneus (Asiatic oak
weevil) 44, 46, 286, 548, 551, 567,
569, 587, 671, 684, 688, 711, 714, 722
Cyrtopeltis modestus (a plant bug)
687
Cyrtorhinus sp. (a predacious mirid bug)
403
Cyrtorhinus fulvus
59
Cyrtorhinus lividipennis
756

D

Dactyloctenium aegyptium (a mosquito)
479, 481
Dacus dorsalis (oriental fruit fly)
45, 101, 102, 120, 686, 712, 724
Damsel bugs
553
Danaus plexippus (monarch butterfly)
712
Darksided cutworm
(Euxoa messoria)
Dasychira plagiata (pine tussock moth)
254, 279, 476, 493
Datana contracta (a notodontid moth)
754, 757
Datana integerrima (walnut caterpillar)
513, 530, 551, 569, 589, 683, 696, 710,
741
Datana major (azalea caterpillar)
269, 710
Datana ministra (yellownecked caterpillar)
531

Dectes texanus texanus (a cerambycid
beetle)* 3, 5, 177, 657, 658, 664, 751
Defoliators
272, 273
Delphacodes propingua (a delphacid plant-
hopper) 730, 778
Dendroctonus spp. (bark beetles)
211, 379, 732
Dendroctonus adjunctus (roundheaded pine
beetle) 272
Dendroctonus brevicornis (western pine
beetle) 25, 44, 272, 276, 684
Dendroctonus frontalis (southern pine
beetle) 126, 211, 273, 324, 345, 379,
416, 454, 550, 673, 732, 753, 779
Dendroctonus ponderosae (mountain pine
beetle) 271, 272, 276, 379
Dendroctonus pseudotsugae (Douglas fir
beetle) 271, 272
Dendroctonus rufipennis (spruce beetle)
271, 272
Dendroctonus terebrans (black
turpentine beetle) 211, 273, 276, 732,
753
Dendrotettix quercus (a grasshopper)
551
Depressed flour beetle
(Palorus subdepressus)
Dermacentor spp. (hardbacked ticks)
363, 399, 418
Dermacentor albipictus (winter tick)
18, 69, 247, 363, 399, 418
Dermacentor andersoni (Rocky Mountain
wood tick) 247, 326, 347, 363, 399, 418
Dermacentor variabilis (American dog tick)
247, 264, 297, 312, 362, 363, 381, 399,
418, 437, 496, 533, 535, 623
Dermostes lardarius (larder beetle)
251
Dermostid beetles
69
Desert corn flea beetle
(Chaetocnema ectypa)
Desmia funeralis (grape leaf folder)
311
Diabrotica spp. (corn rootworms)
142, 148-151, 292, 427, 487, 488, 507,
523, 544, 564, 584, 601, 615, 656
Diabrotica atripennis
151
Diabrotica longicornis (northern corn
rootworm) 9, 67, 70, 148-151, 292, 391,
487, 507, 523, 535, 544, 564, 584, 601,
615, 616, 620, 630, 633, 656, 664, 671,
680, 688, 694, 700
Diabrotica undecimpunctata howardi
(southern corn rootworm, spotted
cucumber beetle) 23, 148-149, 178, 188,
199, 203, 233, 357, 391, 427, 431, 510,
523, 527, 528, 546
Diabrotica undecimpunctata tenella
203
Diabrotica undecimpunctata undecimpunctata
(western spotted cucumber beetle) 199,
203, 269, 528, 544
Diabrotica virgifera (western corn
rootworm) 9, 148, 149, 292, 320, 469,
488, 507, 508, 523, 544, 564, 584, 601,
608, 615, 616, 620, 630, 656, 664, 693,
700, 706, 714, 749, 757
Diacrita plana (an otitid fly)
9
Diadegma insularis (an ichneumon wasp)
756
Dialeurodes citri (citrus whitefly)
224, 225, 270, 401
Dialeurodes citrifolii (cloudywinged
whitefly) 165, 224, 225

* Carried in Volume 21 as Dectes sayi
in error.

- Diamondback moth
(*Plutella xylostella*)
- Diaparsis carinifer* (an ichneumon wasp)
535
- Diaphania hyalinata* (melonworm)
203
- Diaphania nitidalis* (pickleworm)
139
- Diaperomera femorata* (walkingstick)
211, 273, 281, 623, 685, 697, 742
- Diaprepes abbreviatus* (West Indian sugarcane root borer) 121, 349, 459, 699, 724, 781
- Diaspidiotus ancyclus* (Putnam scale)
162, 165
- Diaspis bromeliae* (pineapple scale)
24
- Diatraea crambidoides* (southern cornstalk borer) 145
- Diatraea grandiosella* (southwestern corn borer) 23, 142, 145, 446, 469, 633, 719, 729, 739, 743, 749, 757, 777
- Diatraea saccharalis* (sugarcane borer)
31, 142, 145
- Diceroprotus apache* (a cicada)
221, 286
- Diceroprocta vitripennis*
83, 85
- Dichomeris marginella* (juniper webworm)
263, 269, 397
- Differential grasshopper
(*Melanoplus differentialis*)
- Dikraneura carneola* (a leafhopper)
356, 545
- Dilophus orbatus* (a March fly)
23
- Dingy cutworm
(*Feltia subgothica*)
- Dioryctria disclusa* (a pyralid moth)
277
- Dioryctria zimmermani* (Zimmerman pine moth) 269
- Diprion similis* (introduced pine sawfly)
280
- Dog flea
(*Ctenocephalides canis*)
- Dolerus collaris* (a sawfly)
409
- Dorcus brevis* (a stage beetle)
567
- Douglas fir beetle
(*Dendroctonus pseudotsugae*)
- Douglas fir tussock moth
(*Homocampa pseudotsugata*)
- Drepanopterna femoratum* (a grasshopper)
438, 663
- Drino* sp. (a tachina fly)
458
- Drosophila* spp. (vinegar flies)
198, 709
- Dusky birch sawfly
(*Croesus latitarsus*)
- Dusky sap beetle
(*Carpophilus lugubris*)
- Dysaphis plantaginea* (rosy apple aphid)
219, 295, 324, 433
- Dysaphis tulipae* (tulip bulb aphid)
9, 102
- Dyscinetus morator* (a scarab)
25
- Dysmicoccus neobrevipes* (a mealybug)
481
- Eastern raspberry fruitworm
(*Byturus rubi*)
- Eastern spruce gall aphid
(*Adelges abietis*)
- Eastern subterranean termite
(*Reticulitermes flavipes*)
- Eastern tent caterpillar
(*Malacosoma americanum*)
- Edessa florida* (a stink bug)
730, 733
- Edwardsiana prunicola* (prune leafhopper)
220
- Edwardsiana rosae* (rose leafhopper)
270
- Egyptian alfalfa weevil
(*Hypera brunneipennis*)
- Elaphidionoides villosus* (twig pruner)
741
- Elasmopalpus lignosellus* (lesser corn-stalk borer) 146, 157, 177, 178, 199, 449, 510, 524, 525, 546, 566, 586, 601, 616, 631, 633, 694, 739, 750, 751
- Elatobium abietinum* (spruce aphid)
9, 234, 716
- Elimaea punctifera* (narrow winged katydid) 350, 594, 636, 665, 734
- Elm calligrapha
(*Calligrapha scalaris*)
- Elm flea beetle
(*Altica carinata*)
- Elm leaf beetle
(*Pyrrhalta luteola*)
- Emmesomyia socia* (an anthomyiid fly)
5
- Empoasca* spp. (leafhoppers)
263
- Empoasca fabae* (potato leafhopper)
139, 372, 390, 408, 426, 444, 468, 486, 506, 522, 542, 562, 582, 600, 629, 655
- Empoasca solana* (southern garden leafhopper) 700
- Empria maculata* (a strawberry sawfly)
415
- Encarsia formosa* (a eupholid wasp)
723
- Enchenopa binotata* (twomarked treehopper)
683
- English grain aphid
(*Macrosiphum avenae*)
- Eotetranychus sexmaculatus* (sixspotted mite) 44, 82, 98, 162, 189, 200, 224, 262, 310, 360, 378, 434
- Eotetranychus yuensis* (Yuma spider mite)
224
- Ephestia elutella* (tobacco moth)
617, 708
- Ephydra gracilis* (an ephydrid fly)
245
- Epicauta pennsylvanica* (black blister beetle) 269
- Epicauta pestifera* (margined blister beetle) 195
- Epicauta vittata* (striped blister beetle)
510
- Epidiopsis leperii* (Italian pear scale)
82, 97, 162, 475, 752
- Epilachna borealis* (squash beetle)
660, 664, 696
- Epilachna varivestis* (Mexican bean beetle) 120, 176, 198, 430, 448, 471, 473, 525, 527, 546, 548, 565, 567, 602, 604, 658, 660, 671, 682, 683, 690, 695, 696, 707, 720, 730
- Epinotia aceriella* (maple trumpet skeletonizer) 284
- Epinotia nanana* (an olethreutid moth)
476
- Epiphyas postvittana* (light brown apple moth) 625
- Epitimerus pyri* (pear rust mite)
324
- Epitrix cucumeris* (potato flea beetle)
195, 473
- Epitrix hirtipennis* (tobacco flea beetle)
101, 182, 194, 195, 309, 358, 375, 394, 412, 430, 472, 491, 547, 566, 572, 596, 604, 619, 632, 633, 744
- Epitrix tuberosa* (tuber flea beetle)
195, 491, 610, 672
- Eranis tiliaria* (linden looper)
283, 494
- Eretmocerus paulistus* (a eupholid wasp)
326, 743
- Eriborus terebrans* (an ichneumon wasp)
128
- Eriococcus caroliniae* (an eriococcid scale)
9
- Eriococcus coccineus*
83
- Eriophyes canestrinii* (an eriophyid mite)
58, 60
- Eriophyes peucedani*
206
- Eriophyes theospyri*
110, 112
- Eriophyes tulipae* (wheat curl mite)
206, 320
- Eriosoma lanigerum* (woolly apple aphid)
32, 44, 82, 126, 189, 219, 255, 324, 452, 492
- Eryniopsis rondani* (a tachina fly)
10, 256
- Erythroneura* spp. (leafhoppers)
263, 697
- Erythroneura comes*
550, 697
- Erythroneura zizac* (Virginia creeper leafhopper) 228, 270
- Estigmene acrea* (saltmarsh caterpillar)
204, 696, 752. Light traps: 128, 164, 192, 213, 237, 266, 298, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 726, 735, 745, 758
- Ethmia nigroapicella* (kou leafworm)
421
- Euborellia annulipes* (ringlegged earwig)
212, 251
- Eucelatoria armigera* (a tachina fly)
734, 756
- Eucoila* sp. (a cynipid wasp)
254
- Euconocephalus nasutus* (a longhorn grasshopper) 19, 46, 85, 105, 350, 499, 500
- Eucosma gloriola* (eastern pineshoot borer)
684, 688
- Eudecatoma marylandica* (a eurytomid wasp)
620, 622
- Eutheola rugiceps* (sugarcane beetle)
340, 355, 365, 390, 394, 446, 459, 462
- Euglandina rosea* (a snail)
517, 608
- Eulachnus agilis* (an aphid)
290, 379, 416, 590
- Eulachnus rileyi*
263
- Eumerus tuberculatus* (lesser bulb fly)
731
- Euonymus scale
(*Unaspis euonymi*)
- Eupelmus popa* (a eupelmid wasp)
734
- Eupeodes volucris* (a syrphid fly)
570
- Euphoria rufobrunnea* (a scarab)
729, 733
- Euplectrus plathypeneae* (a eupholid wasp)
252, 254
- European apple sawfly
(*Homocampa testudinea*)
- European chafer
(*Amphimallon majalis*)

E

European clover leaflier
(*Mirificarma formosella*)
European corn borer
(*Ostrinia nubilalis*)
European crane fly
(*Tipula paludosa*)
European earwig
(*Forficula auricularia*)
European elm scale
(*Gossyparia spuria*)
European fruit lecanium
(*Lecanium corni*)
European mantid
(*Mantis religiosa*)
European pine sawfly
(*Neodiprion sertifer*)
European pine shoot moth
(*Rhyacionia buoliana*)
European red mita
(*Panonychus ulmi*)
Eurosta solidaginis (a tephritid fly)
553
Eurytoma obtusiventris (a eurytomid wasp)
548, 553
Euscelis ohausi (a leafhopper)
616, 620
Euschistus conspersus
220
Euschistus servus (brown stink bug)
178, 198
Eutetranychus banksi (Texas citrus mite)
4, 18, 24, 44, 57, 82, 98, 162, 189,
224, 225, 262, 310, 378, 434, 453, 530,
550, 589, 621, 661, 721, 731, 741
Euthyrhynchus floridanus (a stink bug)
256
Eutreta xanthochaeta (lantana gall fly)
34, 59
Eutrombicula spp. (chigger mites)
249
Eutrombicula belkini
235
Euxoa sp. (a cutworm)
254
Euxoa auxiliaris (army cutworm)
3, 43, 125, 130, 161, 187, 209, 231,
259, 291, 307, 319, 339, 355, 371, 389,
443, 467, 561, 739. Light traps: 351,
366, 384, 404, 422, 482, 501, 537, 666,
715, 735, 745, 758
Euxoa detersa (a noctuid moth)
147
Euxoa messoria (darksided cutworm)
147
Euxoa ochrogaster (redbacked cutworm)
10, 175, 376, 412, 491
Euxoa scandens (white cutworm)
395
Euzophera semifuneralis (American plum
borer) 216
Evergestis pallidata (purplebacked
cabbageworm) 638
Evergestis rimosalis (cross-striped
cabbageworm) 202
Exenterus canadensis (an ichneumon wasp)
432, 437
Exorista spp. (tachina flies)
458
Exorista rossica
118, 458
Exorista segregata
118
Exoteleia pinifoliella (pine needleminer)
279
Exuviaspis enceliae (an armored scale)
293, 299
Eyespotted bud moth
(*Spilonota ocellana*)

F

Face fly
(*Musca autumnalis*)
Fall armyworm
(*Spodoptera frugiperda*)
Fall cankerworm
(*Alsophila pometaria*)
Fall webworm
(*Hyphantria cunea*)
False celery leaf-tier
(*Udea profundalis*)
False chinch bug
(*Nysius ericae*)
Faronta diffusa (wheat head armyworm)
Light traps: 384, 404, 422, 440, 461,
482, 501, 518, 537, 556, 573, 595, 609,
626, 637, 666, 676, 689, 701, 715, 726,
745
Feltia ducens (a noctuid moth)
631
Feltia subgothica (dingy cutworm)
147, 427, 657
Feltia subterranea (granulate cutworm)
147, 178, 182, 200, 309, 411, 431, 586,
587. Light traps: 5, 26, 33, 60, 70,
85, 99, 128, 164, 192, 213, 237, 266,
298, 315, 329, 351, 366, 384, 404, 422,
440, 461, 482, 501, 518, 537, 556, 573,
595, 609, 626, 637, 666, 676, 689, 701,
715, 726, 735, 745, 758, 783
Fenusia pusilla (birch leafminer)
361
Ferrisia virgata (striped mealybug)
83, 85
Fieberiella florii (a leafhopper)
263
Fiery hunter
(*Calosoma calidum*)
Filbert aphid
(*Myzocallis coryli*)
Filbertworm
(*Melissopus latiferraneanus*)
Fiorinia floriniae (an armored scale)
83, 85
Fiorinia theae (tea scale)
270
Fir engraver
(*Scolytus ventralis*)
Fire ant
(*Solenopsis geminata*)
Firebrat
(*Thermobia domestica*)
Flat grain beetle
(*Cryptolestes pusillus*)
Fletcher scale
(*Lecanium fletcheri*)
Florida red scale
(*Chrysomphalus aonidum*)
Flower thrips
(*Frankliniella tritici*)
Forcipomyia indecora (a ceratopogonid
midge) 19
Forest tent caterpillar
(*Malacosoma disstria*)
Forficula auricularia (European earwig)
86, 251, 271, 431, 585, 731
Formica obscuripes ravidia (an ant)
10
Formica perpilosa
10
Formica pruinosa
10
Formica subnitens
10
Formicomus imperator (an anthicid beetle)
6, 105
Formosan subterranean termite
(*Coptotermes formosanus*)

Fourspotted spider mite
(*Tetranychus canadensis*)
Foxglove aphid
(*Acyrtosiphon solani*)
Frankliniella spp. (thrips)
178, 182, 412, 525
Frankliniella bispinosa
232, 271
Frankliniella fusca (tobacco thrips)
178, 182, 412, 471
Frankliniella occidentalis (western
flower thrips) 24, 101, 102, 109,
110, 176, 184, 200, 228, 233, 271,
322, 342, 344, 375, 531
Frankliniella tritici (flower thrips)
182
Frit fly
(*Oscinella frit*)
Fruittree leafroller
(*Archips argyrospilus*)
Fuller rose weevil
(*Pantomorus cervinus*)
Fungus gnats
295

G

Galba viridis (liverfluke snail)
105
Galleria mellonella (greater wax moth)
663
Garden fleahopper
(*Halticus bractatus*)
Garden symphylan
(*Scutigereilla immaculata*)
Garden webworm
(*Loxostege ranzalis*)
Gargaphia arizonica (a tingid bug)
10
Gargara genitae (a treehopper)
616, 620
Gasterophilus spp.
244
Gasterophilus intestinalis (horse bot
fly) 245, 535, 723
Gastropacha quercifolia (lappet moth)
463-464
Geocoris spp. (big-eyed bugs)
256, 624
Geocoris bullatus
624
Geocoris pallens
624
Geocoris punctipes
256, 297
Geometrid moths
346
German cockroach
(*Blattella germanica*)
Giant African snail
(*Achatina fulica*)
Giant hornet
(*Vespa crabro germana*)
Gillettea taraxaci (a cynipid wasp)
105
Gladiolus thrips
(*Taeniothrips simplex*)
Glischrochilus sp. (a sap beetle)
152
Glover scale
(*Lepidosaphes gloverii*)
Golden buprestid
(*Buprestis aurulenta*)
Golden nematode
(*Heterodera rostochiensis*)
Golden tortoise beetle
(*Metriona bicolor*)
Gonaxis quadrilateralis (a carnivorous
snail) 383, 608

H

- Gossyparia spuria* (European elm scale)
235, 286, 346
- Gracillaria azaleella* (azalea leafminer)
753
- Gracillaria vacciniella* (a leafblotch miner)
226
- Granulate cutworm
(*Feltia subterranea*)
- Grape berry moth
(*Paralobesia viteana*)
- Grape flea beetle
(*Altica chalybea*)
- Grape leafroller
(*Desmia funeralis*)
- Grape phylloxera
(*Phylloxera vitifoliae*)
- Grape root borer
(*Vitacea polistiformis*)
- Graphognathus* spp. (whitefringed beetles)
122, 213, 265, 313, 327, 349, 365, 382,
401, 420, 459, 499, 593, 607, 608, 618,
625, 664, 687
- Graphognathus leucoloma fecundus*
607, 608, 743
- Graphognathus leucoloma striatus*
45, 46, 607, 608, 664, 713, 714
- Graphognathus peregrinus*
607, 608
- Grapholitha molesta* (oriental fruit moth)
217, 218, 323, 344, 359, 377, 414, 433,
452, 474, 549, 683, 688, 741
- Grapholitha packardii* (cherry fruitworm)
226
- Grapholitha prunivora* (lesser appleworm)
217
- Grass bugs
116, 327, 348, 401, 419, 438, 479, 553,
633
- Grasshoppers
18, 25, 116, 298, 348, 364, 382, 401,
420, 438, 448, 458, 479, 489, 497, 510,
516, 525, 534, 545, 553, 570, 592, 602,
606, 635, 663, 674, 686, 699, 709, 712
- Grass thrips
(*Anaphothrips obscurus*)
- Grass webworm
(*Herpetogramma licarsisalis*)
- Great Basin wireworm
(*Ctenicera pruinosa*)
- Greater wax moth
(*Galleria mellonella*)
- Greedy scale
(*Hemiberlesia rapax*)
- Greenbug
(*Schizaphis graminum*)
- Green cloverworm
(*Plathypena scabra*)
- Green fruitworm
(*Lithophane antennata*)
- Greenhouse whitefly
(*Trialeurodes vaporariorum*)
- Green June beetle
(*Cotinis nitida*)
- Green peach aphid
(*Myzus persicae*)
- Green scale
(*Coccus viridis*)
- Green shield scale
(*Pulvinaria psidii*)
- Green stink bug
(*Acrosternum hilare*)
- Gretchena bolliana* (pecan bud moth)
377
- Ground beetles
372
- Gulf Coast tick
(*Amblyomma maculatum*)
- Gymnocarena diffusa* (a tephritid fly)
619
- Gynaikothrips ficorum* (Cuban laurel thrips)
103, 193, 211, 421, 517, 756
- Gypsy moth
(*Porthetria dispar*)
- Haematobia irritans* (horn fly)
26, 83, 127, 190, 212, 235, 239, 264,
296, 312, 326, 346, 362, 380, 399, 417,
436, 456, 476, 496, 515, 533, 552, 555,
570, 591, 606, 623, 634, 662, 685, 698,
711, 723, 742, 754
- Haematoecia rubescens* (a reduviid bug)
594
- Haematopinus* spp.
83, 99, 191, 780
- Haematopinus eurystermus* (shortnosed
cattle louse) 4, 18, 26, 58, 69, 99,
111, 127, 163, 191, 212, 236, 239, 246,
780
- Haematopinus quadripartitus* (cattle tail
louse) 245
- Haematopinus suis* (hog louse)
33, 45, 69, 99, 111, 191, 246, 754
- Hairy chinch bug
(*Blissus leucopterus hirtus*)
- Halictus rubicundus* (a sweat bee)
312
- Halisdota argentata* (silverspotted tiger
moth) 311
- Halisdota tessellaris* (pale tussock moth)
281
- Hall scale
(*Nilotaspis halli*)
- Halticoptera patellana* (a pteromalid
wasp) 101, 734, 756
- Halticus bractatus* (garden fleaopper)
175
- Harlequin bug
(*Murgantia histrionica*)
- Harrisina brillians* (western grapeleaf
skeletizer) 121, 226, 295, 345, 401,
415, 434, 453, 475, 480, 531, 550, 571,
572, 624, 662, 674, 683, 710, 713, 724
- Hawaiian beet webworm
(*Hymenia recurvalis*)
- Hawaiian thrips
(*Taeniothrips hawaiiensis*)
- Hawthorn lace bug
(*Corythucha cydoniae*)
- Hedylepta accepta* (sugarcane leafroller)
299
- Hedylepta blackburni* (coconut leafroller)
102, 129, 237, 365, 572, 608, 725
- Heliothis* spp.
71-76, 141, 180, 342, 358, 375, 394,
412, 430, 449, 471-472, 490, 511, 526,
546, 547, 566, 587, 603, 617, 631, 659,
671, 682, 695, 708, 721
- Heliothis strombleri* (Stumbler moth)
10
- Heliothis virescens* (tobacco budworm)
63, 130, 141, 180-181, 254, 256, 309,
319, 323, 342, 343, 358, 372, 375, 394,
408, 412, 426, 430, 444, 449, 468, 471-
472, 486, 490, 496, 497, 506, 511, 522,
526, 542, 566, 582, 587, 603, 614, 618,
632, 659, 682, 695, 696, 708, 721.
- Light traps: 237, 298, 366, 384, 404,
440, 461, 482, 501, 518, 537, 556, 573,
595, 609, 626, 637, 666, 676, 689, 701,
715, 726, 735, 745, 758
- Heliothis zea* (bollworm, corn earworm,
tomato fruitworm) 31, 32, 68, 71-76,
101, 130, 133-135, 141, 146, 147, 152,
179, 180-181, 187, 194, 195, 200, 254,
255, 256, 266, 291, 339, 342, 355, 358,
375, 389, 394, 407, 412, 425, 430, 443,
449, 467, 471-472, 485, 490, 505, 511,
521, 526, 541, 547, 561, 566, 581, 587,
599, 602, 603, 613, 617, 618, 629, 630,
631, 632, 655, 659, 660, 665, 669, 670,
671, 672, 679, 682, 693, 695, 696, 700,
705, 708, 714, 719, 721, 729, 731, 739,
- 744, 751, 756, 782. Light traps: 164,
192, 213, 237, 266, 298, 315, 329, 351,
366, 384, 404, 422, 440, 461, 482, 501,
518, 537, 556, 573, 595, 609, 626, 637,
666, 676, 689, 701, 715, 726, 735, 745,
758, 783
- Helix aspersa* (brown garden snail)
271
- Hellula rogatalis* (cabbage webworm)
27, 100, 101, 202, 625
- Hemerocampa leucostigma* (whitemarked
tussock moth) 284
- Hemerocampa pseudotsugata* (Douglas fir
tussock moth) 272, 568, 622, 673
- Hemerocampa vetusta* (western tussock moth)
157
- Hemiberlesia lataniae* (an armored scale)
779
- Hemiberlesia quercicola*
25, 26
- Hemiberlesia rapax* (greedy scale)
397
- Hemileuca maia* (buck moth)
585
- Hemileuca nevadensis* (a saturniid moth)
284
- Hemileuca oliviae* (range caterpillar)
121, 298, 535, 593, 674, 686
- Hemileuca tricolor*
750
- Hemispherical scale
(*Saissetia coffeae*)
- Herculia intermedia* (a pyralid moth)
10
- Hermetia illucens* (a soldier fly)
245
- Herpetogramma licarsisalis* (grass webworm)
19, 46, 101, 266, 350, 421, 460, 555,
636, 675, 714, 734, 756
- Hesperophanes pubescens* (a longhorned
beetle) 567
- Hesperotettix* spp. (grasshoppers)
479
- Hesperotettix speciosus*
516, 663
- Hessian fly
(*Mayetiola destructor*)
- Heterobostrychia aequalis* (oriental wood
borer) 364
- Heterocampa guttivitta* (saddled prominent)
275, 281, 454, 514, 605, 662
- Heterocampa manteo* (variable oakleaf
caterpillar) 273, 275, 281, 590, 605,
622, 634, 673, 698, 710, 722, 732
- Heterococcus pulverarius* (a weevil bug)
308
- Heterodera glycines* (soybean cyst
nematode) 121, 432, 438, 480, 535, 548,
555, 607, 608, 664, 781
- Heterodera lespezdeae*
10, 32, 33
- Heterodera rostochiensis* (golden nematode)
33, 116, 513
- Heterotermes aureus* (a subterranean
termite) 297
- Hexacola hexatoma* (a pteromalid wasp)
400, 402
- Hexameris arvalis* (a parasitic nematode)
166
- Hibiscus caterpillar
(*Anomis flava*)
- Hickory horned devil
(*Citheronia regalis*)
- Hickory shuckworm
(*Laspeyresia caryana*)
- Hippelates pusio* (a chloropid fly)
245
- Hippodamia* spp. (lady beetles)
393
- Hippodamia convergens* (convergent lady
beetle) 45, 164, 182, 191, 205, 213,
236, 252, 255, 265, 297, 313, 326, 347,
363, 381, 399, 418, 457, 468, 478, 515,

553, 592, 699, 707, 711
Hippodamia parenthesis
 255
Hippodamia tredecimpunctata
 255, 515
Hippodamia tredecimpunctata tibialis
 (thirteenspotted lady beetle) 255
Hister nomas (a histerid beetle)
 191
 Hog louse
 (Haematopinus suis)
Holcencyrtus physokermis (an encyrtid
 wasp) 10, 254, 476, 496, 500
 Hollyhock weevil
 (Apion longirostre)
Homadaula anisocentra (mimosa webworm)
 267, 269, 283, 454, 620, 622, 684,
 688, 711
Homaledra sabalella (palm leaf
 skeletonizer) 269, 779, 781
Homalopoda cristata (an encyrtid wasp)
 10, 104
Homocoesoma electellum (sunflower moth)
 184, 472, 512, 604
 Honey bee
 (Apis mellifera)
 Hop aphid
 (Phorodon humuli)
Hoplocampa testudinea (European apple
 sawfly) 396, 414, 433
Horistonotus uhlerii (sand wireworm)
 152
 Horn fly
 (Haematobia irritans)
Hornia minutipennis (a blister beetle)
 418
Horoglyphus punctorius (an ichneumon wasp)
 254
 Horse biting louse
 (Bovicola equi)
 Horse bot fly
 (Gasterophilus intestinalis)
 House fly
 (Musca domestica)
Hulstia undulata (sugarbeet crown
 borer) 343, 394
Humococcus caritus (a mealybug)
 409
 Humped oakworm
 (Symmerista canicosta)
Hyadaphis pseudobrassicae (turnip aphid)
 32, 202, 709
Hyalopteris pruni (mealy plum aphid)
 220, 233
Hybomitra lasiophthalma (a tabanid fly)
 297, 456
Hybomitra sonomensis
 533
Hydria undulata (a geometrid moth)*
 569
Hylemya antiqua (onion maggot)
 205
Hylemya brassicae (cabbage maggot)
 202, 376, 413, 451
Hylemya cerealis (an anthomyiid fly)
 154, 155
Hylemya platura (seedcorn maggot)
 204, 320, 340, 356, 376, 427, 448, 470,
 508
Hylephila phylaeus (a skipper)
 10, 70, 85, 101, 299, 314, 350, 403,
 517, 572
Hylobius pales (pales weevil)
 10, 276, 722
Hylobius radialis (pine root collar
 weevil) 276, 514
Hylotrupes baajulus (oldhouse borer)
 26, 212, 250, 591, 594, 746
Hylurgopinus rufipes (native elm bark
 beetle) 285, 346, 361, 365, 722
Hymenia recurvalis (Hawaiian beet
 webworm) 214
Hypera strigata (lantana defoliator
 caterpillar) 19, 100, 105, 129, 214
Hypera spp. (weevils)
 261, 309, 321

* Carried as Calocalpe undulata

Hypera brunneipennis (Egyptian alfalfa
 weevil) 3, 23, 67, 109, 171, 210, 232,
 261, 309, 341, 374, 778
Hypera meles (clover head weevil)
 10, 171
Hypera nigrirostris (lesser clover leaf
 weevil) 10, 171, 294, 489
Hypera postica (alfalfa weevil)
 10, 31, 43, 57, 67, 70, 81, 97, 109,
 125, 128, 161, 164, 165, 166-171, 188,
 192, 209, 232, 236, 253, 254, 260, 261,
 265, 293, 299, 308-309, 314, 320, 321,
 327, 340, 341, 349, 356, 357, 363, 365,
 373-374, 385, 391-393, 400, 402, 410,
 418, 421, 428-429, 432, 437, 446-447,
 448, 457, 460, 470, 478, 481, 489, 496,
 499, 509, 512, 524, 534, 545, 565, 567,
 585, 617, 631, 658, 664, 671, 694, 707,
 720, 740, 743, 750, 778
Hypera punctata (clover leaf weevil)
 32, 67, 162, 171, 188, 210, 233, 261,
 294, 341, 357, 740
Hyphantria cunea (fall webworm)
 190, 215, 222, 275, 282, 435, 453, 475,
 492, 513, 529, 531, 551, 568, 621, 662,
 683, 684, 697, 698, 710, 721, 722, 732
Hypoderma spp. (cattle grubs)
 45, 58, 68, 69, 83, 99, 163, 235, 244,
 264, 296, 380, 436, 495
Hypoderma bovis (northern cattle grub)
 68, 163, 244, 347, 436, 455, 742, 743
Hypoderma lineatum (common cattle grub)
 4, 18, 26, 33, 45, 58, 68, 83, 111, 127,
 163, 190, 212, 235, 244, 264, 296, 326,
 362, 436, 780
Hyposoter fugitivus (an ichneumon wasp)
 699
Hysteroneura setariae (rusty plum aphid)
 220, 707

Icerya purchasi (cottonyushion scale)
 4, 105, 234, 295, 434, 590, 594, 697,
 752, 778
Ichthyura inclusa (poplar tentmaker)
 211, 742
Idona minuenda (a leafhopper)
 11, 226
 Imported cabbageworm
 (Pieris rapae)
 Imported currantworm
 (Nematus ribesii)
 Imported fire ant
 (Solenopsis saevissima richteri)
Incisitermes minor (western drywood
 termite) 250
 Indian meal moth
 (Plodia interpunctella)
 Introduced pine sawfly
 (Diprion similis)
Ips spp. (bark beetles)
 25, 273, 276
Ips grandicollis
 698
Ips pini (pine engraver)
 684
Irbisia spp. (grass bugs)
 327, 401, 419, 438, 497, 553
Irbisia brachycera
 401
Irbisia pacifica
 116, 327, 348, 401, 419, 457, 458, 479,
 497, 516
Iridomyrmex humilis (Argentine ant)
 250
 Iris borer
 (Macronoctua onusta)
 Italian pear scale
 (Epidiaspis leperii)
Ithome concolorella (a cosmopterigid moth)
 105, 439

Itopectis conquisitor (an ichneumon
 wasp) 400
 Ivy aphid
 (Aphis hederiae)
Ixodes pacificus (a hardbacked tick)
 111, 347
Ixodes scapularis (blacklegged tick)
 249

Jack pine budworm
 (Choristoneura pinus)
 Jack pine sawfly
 (Neodiprion pratti banksianae)
Jadera haematoloma (a rhopalid bug)
 105
 Japanese beetle
 (Popillia japonica)
 Juniper scale
 (Carulaspis juniperi)
 Juniper webworm
 (Dichomeris marginella)

K

Kaloterms approximatus (a drywood
 termite) 685
Keiferia lycopersicella (tomato pinworm)
 43, 70, 101, 196, 343, 450, 588, 604,
 756
 Keys striped scorpion
 (Centruroides keysi)
 Knappa beetle
 (Trogoderma granarium)
 Kiawe flower looper
 (Cosymbia serrulata)
Kimminsia schwarzi (a brown lacewing)
 754, 757
 Koa haole looper
 (Anacamptodes fragilaria)
 Kou leafworm
 (Ethmia colonella)

L

Labidura riparia (an earwig)
 5, 251, 548, 550
Labops spp. (grass bugs)
 116, 401, 419, 438, 479, 497
Labops hesperius
 116, 327, 348, 364, 382, 401, 419, 457,
 497
Labops utahensis
 553
 Lacewings
 553
Lachnus salignus (an aphid)
 103
Lacinipolia renigera (bristly cutworm)
 395
Lacinipolia vicina (a noctuid moth)
 201
 Lady beetles
 313, 347, 381, 399, 418, 437, 456, 478,
 496, 515, 553, 592, 686, 711
Lambdina athasaria athasaria (a geometrid
 moth) 710
Lambdina pellucidaria (a geometrid moth)
 385
Lamenia caliginea (a fulgorid plant-
 hopper) 383, 385
Lampides boeticus (bean butterfly)
 460
Languria mozarzi (clover stem borer)
 188
 Lantana defoliator caterpillar
 (Hypera strigata)

- Lantana gall fly
(*Eutreta xanthochaeta*)
- Lantana hispid
(*Uroplata girardi*)
- Lantana lace bug
(*Teleonemia scrupulosa*)
- Lantana leaf beetle
(*Octotoma scabripennis*)
- Lappet moth
(*Gastropacha quercifolia*)
- Larch casebearer
(*Coleophora laricella*)
- Larch sawfly
(*Pristiphora erichsonii*)
- Larder beetle
(*Dermestes lardarius*)
- Lardoglyphus konoi (an acarid mite)
6, 104
- Large aspen tortrix
(*Choristoneura conflictana*)
- Large mango tip borer
(*Bombotelia jocosatrix*)
- Large turkey louse
(*Chelospistes meleagridis*)
- Larger canna leafroller
(*Calpodes ethlius*)
- Larger yellow ant
(*Acanthomyops interjectus*)
- Largus cinctus californicus (a largid bug)
228
- Lasioderma serricornis (cigarette beetle)
252, 312, 314
- Laspeyresia caryana (hickory shuckworm)
212, 222, 377, 752
- Laspeyresia pomonella (codling moth)
216, 222, 310, 323, 344, 359, 396, 414, 433, 452, 474, 492, 529, 549, 568, 589, 605, 621, 661, 683, 696, 712, 731, 752
- Latheticus oryzae (longheaded flour beetle)
11
- Latreductus hesperus (a combfooted spider)
249, 733
- Latreductus variolus
515
- Leafhoppers
263, 374
- Leafminer flies
470, 631, 661
- Lecanium corni (European fruit lecanium)
68, 453
- Lecanium fletcheri (Fletcher scale)
270
- Lecanium nigrofasciatum (terrarin scale)
286
- Lecanodiaspis proscopidis
(a lecanodiaspidid scale)
732
- Leek moth
(*Acrolepia assectella*)
- Lema trilineata (three-lined potato beetle)
237, 266
- Lemophagus curtus (an ichneumon wasp)
400
- Lepidosaphes beckii (purple scale)
24, 44, 82, 98, 162, 189, 262, 311, 360, 378, 434, 453, 530, 550, 589, 621, 661, 721, 731, 741
- Lepidosaphes camelliae (camellia scale)
270
- Lepidosaphes gloverii (Glover scale)
24, 44, 82, 98, 162, 189, 222, 311, 360, 378, 434, 453, 530, 550, 589, 621, 661, 721, 731, 741
- Lepidosaphes pini (an armored scale)
68, 70, 112
- Lepidosaphes ulmi (oystershell scale)
262, 269, 287, 398, 414, 452
- Lepidosaphes yanagicola
11
- Leptinotarsa decemlineata (Colorado potato beetle)
194-195, 359, 376, 395, 412, 431, 450, 472, 491, 512, 527, 547, 567, 620
- Leptobyrsa decora (a tingid bug)
383, 536
- Leptoconopus kerteszi (a biting midge)
245, 362
- Leptocoris trivittatus (boxelder bug)
127, 251
- Leptopterna dolabrata (meadow plant bug)
409, 428, 432, 446, 460
- Leptopterna ferrugata
497
- Lesser appleworm
(*Grapholitha prunivora*)
- Lesser bulb fly
(*Eumerus tuberculatus*)
- Lesser clover leaf weevil
(*Hypera nigrostris*)
- Lesser cornstalk borer
(*Elasmopalpus lignosellus*)
- Lesser grain borer
(*Rhyzopertha dominica*)
- Lesser peachtree borer
(*Synanthedon pictipes*)
- Leucopis ocellaris (a chamaemyiid fly)
481
- Light brown apple moth
(*Epiphyas postvittana*)
- Lilac borer
(*Podossia syringae syringae*)
- Limabean vine borer
(*Monopilotia pergratialis*)
- Limax flavus (tawny garden slug)
11
- Limax maximus (spotted garden slug)
439, 481
- Limonium sp.
427
- Limonium californicus (sugarbeet wireworm)
151, 155, 192, 227, 323, 450
- Limonium infuscatum (western field wireworm)
155, 372
- Limothrips denticornis (barley thrips)
153, 155, 391, 585
- Linden looper
(*Erannis tiliaria*)
- Lindorus lophanthae (a lady beetle)
85, 103, 193, 365, 594
- Linognathus vituli (longnosed cattle louse)
69, 111, 127, 212, 246
- Liogenys macropelma (a scarab)
385
- Liometopum occidentale (a carpenter ant)
250
- Liosomaphis berberidis (an aphid)
11
- Lipoptena mazamae (a louse fly)
417
- Liriomyza spp. (leaf miner flies)
27, 34, 85, 101, 129, 193, 237, 314, 350, 439, 517, 625, 675, 700, 709, 744
- Liriomyza munda (vegetable leafminer)
198
- Liris laboriosa (a sphecid wasp)
6, 101
- Lissorhoptrus oryzophilus (rice water weevil)
151
- Listroderes costirostris obliquus (vegetable weevil)
82, 158, 343, 349
- Listronotus oregonensis (carrot weevil)
204
- Litchi fruit moth
(*Cryptophlebia ombrodelta*)
- Lithocolletis caryae-foliella (a leafblotch miner)
661
- Lithocolletis tremuloidiella (aspen blotchminer)
494
- Lithophane antennata (green fruitworm)
216, 295
- Lithophane laticinerea (a noctuid moth)
216
- Lithophane unimoda
216
- Little black ant
(*Monomorium minimum*)
- Little carpenterworm
(*Prionoxystus robiniae*)
- Liverfluke snail
(*Galba viridis*)
- Locust borer
(*Megacyllene robiniae*)
- Locust leafminer
(*Xenochalepus dorsalis*)
- Lodgepole needleminer
(*Coleotechnites milleri*)
- Lonchaea polita (a lonchaeid fly)
11
- Lonchaea striatifrons
11
- Lone star tick
(*Amblyomma americanum*)
- Longheaded flour beetle
(*Latheticus oryzae*)
- Longitarsus jacobaeae (a flea beetle)
733
- Longitarsus waterhousei
184, 527
- Longnosed cattle louse
(*Linognathus vituli*)
- Longtailed mealybug
(*Pseudococcus longispinus*)
- Lopholeucaspis japonica (an armored scale)
110, 112, 532, 535
- Loxagrotis albicosta (western bean cutworm)
128, 147, 198, 199, 527, 543, 564, 584, 601, 608, 615, 620, 630, 657, 664, 670, 693
- Loxosceles reclusa (brown recluse spider)
11, 18, 58, 83, 212, 248, 249, 381, 385, 399, 402, 496, 500, 570, 634, 780, 781
- Loxosceles rufescens (a scytodid spider)
11, 249
- Loxostege spp. (webworms)
175, 177, 547
- Loxostege commixtalis (alfalfa webworm)
Light traps: 384, 556, 573, 595, 609, 637
- Loxostege rantalis (garden webworm)
587
- Loxostege sticticalis (beet webworm)
183, 204, 412, 430, 450, 472, 491, 512, Light traps: 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 676, 715
- Lyctus africanus (a powderpost beetle)
686
- Lyctus planicollis (southern lyctus beetle)
69, 127
- Lygus spp.
109, 173, 181, 206, 210, 233, 322, 342, 358, 375, 393, 409, 411, 429, 431, 448, 489, 509, 511, 525, 545, 548, 586, 602, 603, 617, 681, 707, 751, 778
- Lygus elisus
173, 509, 545, 586
- Lygus hesperus
173, 262, 509, 545, 586, 602, 631
- Lygus lineolaris (tarnished plant bug)
173, 181, 184, 188, 198, 220, 228, 294, 309, 310, 342, 344, 375, 377, 411, 448, 449, 470, 509, 511, 525, 526, 529, 545, 586, 695
- Lysiphlebus testaceipes (a braconid)*
26, 34, 59, 137, 138, 164, 191, 213, 236, 254, 264, 468, 592, 623, 707, 744

* Carried in error as *Lyoiphlebus testaceipes* in Vol. 21.

M

- Macrocentrus spp. (braconids)
145
- Macrocentrus gifuensis
254
- Macrocentrus grandii
254
- Macroductylus subspinosus (rose chafer)
269, 363
- Macronoctua onusta (iris borer)
11, 267, 313, 697
- Macrosiphum avenae (English grain aphid) 17, 43, 57, 67, 136, 154, 232, 293, 308, 320, 356, 372, 391, 409, 488, 565, 585
- Macrosiphum creelii
357
- Macrosiphum euphorbiae (potato aphid)
152, 184, 197, 343, 356, 431, 450, 473, 491, 725
- Macrosiphum rosae (rose aphid)
345
- Macrosteles fascifrons (aster leafhopper)
23, 132, 231, 259, 291, 307, 319, 371, 389, 407, 425, 443, 467, 485, 521, 561, 655, 739
- Magdicada spp.
286
- Magdicada cassini
220
- Magdicada septendecim (periodical cicada)
220, 275, 286
- Magdicada septendecula
11, 220, 286
- Maize billbug
(Sphenophorus maidis)
- Malacosoma americanum (eastern tent caterpillar) 98, 126, 190, 210, 215, 234, 262, 263, 282, 296, 311, 325, 344, 346, 361, 379, 722
- Malacosoma californicum (western tent caterpillar) 379, 446, 531
- Malacosoma californicum fragile
157, 163, 312, 325, 373, 436
- Malacosoma californicum pluviale
323
- Malacosoma constrictum (Pacific tent caterpillar) 590
- Malacosoma disstria (forest tent caterpillar) 110, 263, 273, 275, 281, 282, 296, 325, 361, 379, 398, 400, 416, 432, 436, 494, 514, 722
- Malacosoma incurvum discoloratum
282, 312, 325
- Maladera castanea (Asiatic garden beetle)
157
- Manduca spp.
141, 444, 468, 506, 522, 542, 582, 599, 614, 629, 655
- Manduca quinquemaculata (tomato hornworm)
141, 444, 486, 506, 522, 542, 562, 599, 600, 614. Light traps: 329, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726
- Manduca sexta (tobacco hornworm)
31, 130, 141-142, 372, 426, 468, 486, 506, 522, 542, 562, 582, 599, 629, 679. Light traps: 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745
- Mango flower beetle
(Protaetia fusca)
- Mantis religiosa (European mantid)
570
- Maple bladdergall mite
(Vasates quadripedes)
- Maple petiole borer
(Caulocampus acericaulis)
- Maple trumpet skeletonizer
(Epinotia aceriella)
- Marasmia trapezalis (a pyralid moth)
157
- Margined blister beetle
(Epicauta pestifera)
- Marginitermes hubbardi (a drywood termite) 264
- Matsucoccus acalyptus (a margarodid scale) 397
- Mayetiola destructor (Hessian fly)
109, 155, 232, 391, 446, 470, 564, 670, 694, 739, 750
- Mayetiola rigidae (willowbeaked gall midge) 263
- McDaniel spider mite
(Tetranychus mcdanieli)
- Meadow plant bug
(Leptopterna dolabrata)
- Meadow spittlebug
(Philaenus spumarius)
- Mealybugs
98, 311, 360, 378, 434, 453, 530, 550, 590
- Mealy plum aphid
(Hyalopterus pruni)
- Mecinus pyrastrer (a weevil)
524, 535
- Mediterranean flour moth
(Anagasta kuehniella)
- Mediterranean fruit fly
(Ceratitis capitata)
- Megabombus auricomus (a bumblebee)
534, 553
- Megabombus pennsylvanicus
534, 553
- Megachile concinna
11, 348, 349
- Megachile rotundata (alfalfa leafcutter bee) 253, 348, 363, 400, 478
- Megacyllene robiniae (locust borer)
285
- Megalopyge opercularis (puss caterpillar)
247
- Megaselia rufipes (a humpbacked fly)
11, 105
- Megastigmus pistaciae (pistachio seed chalcid) 121
- Melanagromyza phaseoli (bean fly)
19, 27, 59, 70, 85, 101, 105, 112, 129, 439, 608, 675, 687, 734, 756
- Melanaspis aliens (an armored scale)
11, 102
- Melanaspis obscura (obscur scale)
99, 128, 192, 287
- Melanoides sp. (a freshwater snail)
780
- Melanoplus spp.
178, 448, 479, 489, 509, 516, 545, 571, 592, 602, 722, 740
- Melanoplus bivittatus (two-striped grasshopper) 117, 118, 298, 348, 349, 364, 382, 401, 438, 458, 479, 480, 489, 497, 498, 516, 525, 534, 554, 571, 592, 593, 606, 635, 663, 699, 712
- Melanoplus coloradus
712
- Melanoplus confusus
420, 458
- Melanoplus differentialis (differential grasshopper) 118, 158, 348, 364, 382, 438, 458, 479, 480, 497, 534, 545, 554, 592, 602, 606, 619, 663, 699, 712, 740
- Melanoplus femurrubrum (redlegged grasshopper) 117, 118, 158, 175, 348, 382, 420, 458, 479, 480, 497, 510, 525, 534, 545, 553, 554, 571, 592, 602, 606, 635, 663, 699, 712, 740
- Melanoplus infantilis
674
- Melanoplus lakinus
117
- Melanoplus occidentalis
438, 663
- Melanoplus packardii (Packard grasshopper)
117, 382, 480, 553, 554, 663
- Melanoplus rugglesi (Nevada sage grasshopper) 117
- Melanoplus sanguinipes (migratory grasshopper) 117, 118, 298, 348, 349, 364, 382, 401, 420, 480, 489, 498, 516, 534, 553, 554, 570, 571, 592, 606, 635, 663, 686, 712
- Melanotus sp. (a wireworm)
151
- Melanotus communis
151, 152, 340, 427
- Melastoma borer
(Selca brunella)
- Meligethes nigrescens (a sap beetle)
171
- Melipotis indomita (a noctuid moth)
26, 27, 101, 103, 112, 328, 383, 403, 439, 499, 531, 555, 625, 636, 725, 756, 782
- Melissopus latiferreanus (filbertworm)
217, 530
- Melittia cucurbitae (squash vine borer)
203
- Melonworm
(Diaphania hyalinata)
- Melophagus ovinus (sheep ked)
212, 236, 245, 362, 417
- Melormenis antillarum (a flatid bug)
6, 102, 129
- Merchant grain beetle
(Oryzaephilus mercator)
- Mermiria sp. (a grasshopper)
516
- Meromyza americana (wheat stem maggot)
152, 446
- Metaphycus portoricensis
See Aphycus portoricensis
- Metaseiulus occidentalis (a phytoseiid mite) 222, 324, 327, 348, 381, 419, 457, 478, 570
- Metator pardalinus (a grasshopper)
663
- Meteorus sp. (a braconid)
254
- Meteorus laphygmae
782
- Metoponium spp. (darkling beetles)
195
- Metriona bicolor (golden tortoise beetle)
204
- Mexican bean beetle
(Epilachna varivestis)
- Mexican fruit fly
(Anastrepha ludens)
- Microctonus sp. (a braconid)
340
- Microctonus aethiops
11, 128, 166, 254, 348, 400, 478, 743
- Microctonus colesi
164, 165, 166, 254
- Microctonus lareynii (a puncturevine seed weevil) 5, 252, 255, 347, 712, 714
- Microctonus lypriformis (a puncturevine stem weevil) 105, 165, 383, 439, 460, 625, 687, 782
- Migratory grasshopper
(Melanoplus sanguinipes)
- Millipeds
251
- Mimosa webworm
(Homadaula anisocentra)
- Mindarus abietinus (balsam twig aphid)
311, 416
- Mirificarma formosella (European clover leaf-tier) 157, 428, 432

- Mocis spp. (grassworms)
157, 730
- Mocis latipes
157, 730
- Monarch butterfly
(Danaus plexippus)
- Monarthropalpus buxi (boxwood leafminer)
211, 271
- Monellia spp.
697
- Monellia costalis (blackmargined aphid)
215, 223, 530, 621, 661, 710
- Monelliopsis californica
223
- Monelliopsis caryae (an aphid)
223
- Monelliopsis nigropunctata
223
- Monelliopsis tuberculata
223
- Monkeypod moth
(Polydesma umbricola)
- Monomorium minimum (little black ant)
250
- Monomorium viridum peninsulatum
11
- Monoptilota pergratialis (limbean vine borer)
199
- Montandoniella moraguesi (an anthocorid bug)
103, 193, 517, 756
- Monterey pine resin midge
(Cecidomyia resinicoloides)
- Mormon cricket
(Anabrus simplex)
- Morseiella flaviventris (a grasshopper)
117
- Mosquitoes
83, 191, 212, 235, 239, 243, 264, 312, 347, 362, 380, 398, 417, 437, 455, 477, 495, 515, 532, 552, 569, 591, 623, 634, 663, 674, 685, 698, 711, 732
- Mountain pine beetle
(Dendroctonus ponderosae)
- Mourningcloak butterfly
(Nymphalis antiopa)
- Mulberry whitefly
(Tetraleurodes mori)
- Murgantia histrionica (harlequin bug)
202
- Musca autumnalis (face fly)
33, 192, 239, 240, 241-242, 254, 264, 312, 326, 346, 362, 380, 417, 432, 436, 455, 477, 481, 495, 500, 515, 532, 535, 551, 569, 591, 606, 623, 634, 662, 672, 674, 685, 688, 698, 700, 723, 725
- Musca domestica (house fly)
104, 111, 235, 242, 243, 312, 362, 478, 532, 533, 552, 591, 698
- Musca sorbens (a muscid fly)
104, 517, 756, 757
- Myzocallis coryli (filbert aphid)
433
- Myzocallis robiniae
527
- Myzus cerasi (black cherry aphid)
220, 359, 377, 452
- Myzus persicae (green peach aphid)
17, 19, 24, 25, 34, 57, 97, 110, 126, 182, 184, 189, 194, 196, 202, 204, 210, 220, 233, 261, 270, 295, 310, 323, 324, 343, 344, 359, 376, 377, 412, 431, 433, 450, 451, 473, 491, 492, 512, 513, 547, 588, 604, 619, 721, 752
- N**
- Nabis sp. (a damsel bug)
164, 256, 297, 327, 399, 686
- Nabis alternatus
256, 570
- Nabis ferus
256
- Nantucket pine tip moth
(Rhyacionia frustrana)
- Narrow winged katydid
(Elimaea punctifera)
- Nasonovia ribisnigri (an aphid)
11, 102
- Native elm bark beetle
(Hylurgopinus rufipes)
- Navel orangeworm
(Paramyelois transitella)
- Neacoryphus bicrucis (a lygaeid bug)
402, 403, 548, 555, 567, 572, 687, 725
- Necrobia rufipes (redlegged ham beetle)
699, 781
- Nemapogon granella (European grain moth)
11
- Nematus abbottii (a sawfly)
567, 569
- Nematus ribesii (imported currantworm)
226, 434
- Neodiprion spp. (conifer sawflies)
379, 398, 416, 435, 454, 476, 493, 590, 622
- Neodiprion abietis (balsam fir sawfly)
590
- Neodiprion excitans
280, 494, 590
- Neodiprion fulviceps
753
- Neodiprion lecontei (redheaded pine sawfly)
25, 279, 454, 493, 532, 551
- Neodiprion merkeli (slash pine sawfly)
493
- Neodiprion pinetum (white pine sawfly)
722
- Neodiprion pratti banksianae (jack pine sawfly)
454, 493, 514, 569
- Neodiprion pratti pratti
279, 379, 385, 398, 402, 416, 437, 476
- Neodiprion sertifer (European pine sawfly)
278, 279, 361, 398, 416, 435, 722
- Neodiprion taedae linearis
110, 190, 279, 324, 379, 398, 416, 432, 435, 454, 460, 476, 722
- Neodusmetia sangwani (an encyrtid wasp)
104
- Neolasioptera portulacae (a gall midge)
6
- Neurocolpus nubilis (clouded plant bug)
181
- Nevada sage grasshopper
(Melanoplus rugglesi)
- Nezara viridula (southern green stink bug)
70, 103, 178, 206, 215, 220, 224, 226, 365, 375, 460, 488, 555, 572, 625, 695, 708
- Nilotaspis halli (hall scale)
192
- Nipaeococcus vastator (a mealybug)
481
- Noctuid moths
147, 166, 174, 322, 374, 408, 427, 721;
751
- Nomia melanderi (alkali bee)
253
- Nomius pygmaeus (stink beetle)
195
- Norape ovina (a megalopygid moth)
12, 742, 743
- Northern cattle grub
(Hypoderma bovis)
- Northern corn rootworm
(Diabrotica longicornis)
- Northern fowl mite
(Ornithonyssus sylvianus)
- Northern pine weevil
(Pissodes approximatus)
- Norway maple aphid
(Periphyllus lyropictus)
- Notodres douglasi (an itch mite)
127, 128
- Nuculaspis californica (black pineleaf scale)
25, 325
- Nygmia phaeorrhoea (browntail moth)
113
- Nymphalis antiopa (mourningcloak butterfly)
312, 398
- Nysius spp.
411, 706
- Nysius ericae (false chinch bug)
202, 524
- Oak lace bug
(Corythucha arcuata)
- Oak leafhopper
(Croesia albicomana)
- Oak skeletonizer
(Bucculatrix ainsliella)
- Obliquebanded leafroller
(Choristoneura rosaceana)
- Obscure root weevil
(Sciopithes obscurus)
- Obscure scale
(Melanaspis obscura)
- Octaspidiotus araucariae (an armored scale)
46
- Octotoma scabripennis (lantana leaf beetle)
756
- Odonaspis penicillata (an armored scale)
211, 213
- Odynerus dilectus (a vespid wasp)
254
- Oebalus pumax (rice stink bug)
174
- Oecanthus rileyi (a tree cricket)
126
- Oedaleonotus enigma (a grasshopper)
117, 265, 420, 479, 498, 534, 553, 554, 570, 592, 663
- Oedaleus abruptus (a grasshopper)
105, 165, 421
- Oedostethus femoralis (a click beetle)
12
- Oestrus ovis (sheep bot fly)
244, 455
- Oldhouse borer
(Hylotrupes bajulus)
- Oleander aphid
(Aphis nerii)
- Oligonychus ilicis (southern red mite)
435
- Oligonychus pratensis (Banks grass mite)
152, 153, 158, 308, 320, 391, 409, 488, 508, 524, 544, 564, 584, 601, 616, 624, 657, 670, 679, 680, 694, 705
- Oligonychus stickneyi
446
- Oligonychus ununguis (spruce spider mite)
270, 311, 454, 475, 493, 590
- Olive scale
(Parlatoria oleae)
- Olia abdominalis (a lady beetle)
347, 707
- Omnivorous leafhopper
(Cnephasia longana)
- Omnivorous looper
(Sabulodes caberata)
- Omphisa anastomosalis (sweetpotato vine borer)
59, 129
- Oncideres cingulata (twig girdler)
215, 223, 285, 696
- Oncocnemis punctilinea (a noctuid moth)
296
- Onion maggot
(Eulema antiqua)
- Onion thrips
(Thrips tabaci)
- Ooencyrtus clisicampae (an encyrtid wasp)
400

- Ooencyrtus guamensis 6, 104
Ooencyrtus kuwanai 118, 699, 712, 733
Opeia obscura (a grasshopper) 12, 175
Ophiomyia simplex (asparagus miner) 205
Ophionyssus natricis (a dermanysid mite) 12, 104
Opisthorchis sinensis (a trematode) 780
Opius spp. (braconids) 19, 27, 70, 101, 112, 608, 687, 734
Opius importatus 105, 439, 756
Opius phaseoli 105, 439, 756
Opsius stactogalus (a leafhopper) 625
Orange tortrix (Argyrotaenia citrana)
Orangestriped oakworm (Anisota senatoria)
Orchid weevil (Orchidophilus aterrimus)
Orchidophilus aterrimus (orchid weevil) 101, 102, 675
Oriental beetle (Anomala orientalis)
Oriental cockroach (Blatta orientalis)
Oriental fruit fly (Dacus dorsalis)
Oriental fruit moth (Grapholitha molesta)
Oriental wood borer (Heterobostrychus aequalis)
Orius spp. (flower bugs) 111, 256, 707
Orius insidiosus 256, 297, 348, 399, 553
Orius tristicolor 256
Ornithodoros concanensis (a softbacked tick) 695
Ornithonyssus spp. (dermanysid mites) 26
Ornithonyssus bacoti (tropical rat mite) 33
Ornithonyssus bursa (tropical fowl mite) 26, 365
Ornithonyssus sylviarum (northern fowl mite) 4, 26, 45, 127, 163, 249
Orthosia hibisci (a noctuid moth) 216, 344
Orthotylus chlorionis (a plant bug) 286
Oryzaephilus mercator (merchant grain beetle) 5, 252
Oryzaephilus surinamensis (sawtoothed grain beetle) 69, 191, 252
Oscinella frit (frit fly) 400
Osmia lignaria (a megachilid bee) 253
Ostrinia nubilalis (European corn borer) 31, 47-54, 97, 125, 128, 142-145, 161, 188, 194, 196, 198, 199, 203, 216, 231, 254, 260, 292, 307, 320, 339, 355, 372, 390, 395, 408, 426, 445, 450, 468-469, 507, 508, 522-523, 527, 535, 542, 543, 557, 563, 567, 583, 600, 608, 614, 630, 659, 669, 672, 680, 682, 688, 693, 696, 700, 705, 709, 719, 721, 729, 739, 743, 749, 777. Light traps: 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726
Otobius megnini (ear tick) 326, 347, 418, 478, 754
Oulema melanopus (cereal leaf beetle) 114, 115, 254, 298, 313, 327, 348, 363, 365, 381, 385, 400, 402, 419, 432, 457, 479, 481, 497, 516, 534, 535, 570, 780
Oulema palustris (a leaf beetle) 12
Oxybelus uniglumis quadrinotatus (a sphecid wasp) 5
Oxysarcodexia ochripygæ (a sarcophagid fly) 12
Oystershell scale (Lepidosaphes ulmi)
- P**
- Pachysomoides stupidus (an ichneumon wasp) 12, 104
Pacific dampwood termite (Zootermopsis angusticollis)
Pacific spider mite (Tetranychus pacificus)
Pacific tent caterpillar (Malacosoma constrictum)
Packard grasshopper (Melanoplus packardii)
Painted lady (Vanessa cardui)
Palearcitra vernata (spring cankerworm) 190, 216, 234, 263, 283, 296, 312, 346, 361, 379, 385, 417, 455
Palestriped flea beetle (Systema blanda)
Pales weevil (Hylobius pales)
Pale tussock moth (Halisidota tessellaris)
Pale western cutworm (Agrotis orthogonia)
Palmicultor palmarum (palm mealybug) 403, 536
Palm leaf skeletonizer (Homaledra sabalella)
Palm mealybug (Palmicultor palmarum)
Palorus subdepressus (depressed flour beetle) 12
Panaphis juglandis (an aphid) 620, 621, 710, 714
Pangaus bilineatus (a burrowing stink bug) 179, 490, 510
Panonychus citri (citrus red mite) 4, 17, 24, 44, 57, 82, 98, 162, 189, 224, 262, 310, 345, 360, 378, 415, 433, 434, 453, 530, 549, 589, 621, 661, 721, 731, 741, 752, 778
Panonychus ulmi (European red mite) 210, 215, 221, 222, 256, 295, 310, 324, 344, 360, 377, 378, 396, 415, 452, 474, 492, 513, 549, 568, 605, 673, 683, 697, 710
Pantomorus cervinus (Fuller rose weevil) 104, 700
Pantomorus taeniatulus 171, 620
Papaipema nebris (stalk borer) 147, 196, 391, 408, 427, 445, 469, 491
Papilio xuthus (a swallowtail butterfly) 383, 385, 403, 421, 499, 572, 594, 665, 675, 700, 714, 744
Paralobesia liriodendrana (an olethreutid moth) 779, 781
Paralobesia viteana (grape berry moth) 226, 415, 475, 531, 550, 697
Paramyeloides transitella (navel orangeworm) 4, 223, 752
Paranapiacaba tricincta (a leaf beetle) 203
Parargyractis fulcalis (a pyralid moth) 781
Paratritioza cockerelli (potato psyllid) 140, 468, 486, 542
- Parlatoria crotonis (an armored scale) 622
Parlatoria oleae (olive scale) 97, 162, 228, 262
Parlatoria pergandii (chaff scale) 24, 44, 82, 98, 163, 189, 262, 311, 360, 378, 434, 453, 530, 550, 589, 590, 621, 661, 721, 741
Parlatoria zizyphus (black parlatoria scale) 59
Passaloecus ithacæ (a sphecid wasp) 12, 104
Pavement ant (Tetramorium caespitum)
Pea aphid (Acyrtosiphon pisum)
Peachtree borer (Sanninoidea exitiosa)
Peach twig borer (Anarsia lineatella)
Pea leaf weevil (Sitona lineatus)
Pear psylla (Psylla pyricola)
Pear rust mite (Epitrimerus pyri)
Pearslug (Caliroa cerasi)
Pea weevil (Bruchus pisorum)
Pecan bud moth (Gretchena bolliana)
Pecan leaf casebearer (Acrobasis juglandis)
Pecan leaf phylloxera (Phylloxera notabilis)
Pecan nut casebearer (Acrobasis caryæ)
Pecan phylloxera (Phylloxera devastatrix)
Pecan spittlebug (Clastoptera achatina)
Pecan weevil (Curculio caryæ)
Pectinophora gossypiella (pink bollworm) 59, 69, 120, 213, 327, 349, 364, 382, 414, 420, 438, 459, 498, 499, 535, 554, 571, 607, 624, 635, 664, 674, 686, 699, 713, 724, 733, 743, 755, 781. Light traps: 298
Pediacus depressus (a flat bark beetle) 12
Pediasia mutabilis (a sod webworm) 670
Pegomya betæ (beet leafminer) 205
Pegomya hyoscyami (spinach leafminer) 183, 205, 450, 472, 491, 527, 682
Pegomya rubivora (raspberry cane maggot) 12
Pemphigus monophagus 12, 287
Pemphigus populivenæ (sugarbeet root aphid) 183, 184
Penthaleus major (winter grain mite) 3, 17, 23, 67, 81, 109, 154, 188, 209, 232, 260, 750, 777
Pepper maggot (Zonosemata selecta)
Pepper weevil (Anthonomus eugenii)
Peregrinus maidis (corn planthopper) 19, 101, 756
Perezia pyraustæ (a protozoan) 143
Pericyema cruegeri (a noctuid moth) 298
Peridesmia sp. (a chalcid) 97
Peridroma saucia (variegated cutworm) 174, 184, 292, 374, 394, 431, 450, 451, 512, 561, 567, 584, 588, 617, 633, 659,

- 670, 672, 708. Light traps: 128, 164, 213, 237, 266, 298, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783
- Perillus coccinellae (a braconid)
111, 456
- Perillus bioculatus (twospotted stink bug)
194
- Perifical cicada
(Magiccicada septendecim)
- Periphyllus lyropictus (Norway maple aphid) 287
- Periplaneta americana (American cockroach)
250
- Periplaneta australasiae (Australian cockroach) 236
- Periplaneta brunnea (brown cockroach)
12
- Periplaneta fuliginosa (smokybrown cockroach) 236, 250, 685
- Perkinsiella saccharicida (sugarcane leafhopper) 46, 214
- Petrobia latens (brown wheat mite)
23, 109, 125, 154, 161, 188, 209, 231, 260, 292, 308, 320, 322, 340, 356, 364, 372, 375, 393, 428, 446, 729
- Phaenicia cuprina (a blow fly)
104
- Phalonia hospes (banded sunflower moth)
619
- Pheidole bicarinata longula (an ant)
12
- Phenacaspis cockerelli (an armored scale)
100, 103, 214, 270, 620, 622
- Phenacaspis pinifoliae (pine needle scale)
68, 98, 269, 280, 311, 379, 397, 435, 476, 590
- Phenacoccus aceris (apple mealybug)
414, 421
- Philaenus spumarius (meadow spittlebug)
173, 256, 261, 294, 309, 322, 342, 358, 393, 411, 430, 448, 470, 475, 481, 510, 525, 671, 681, 695, 730
- Phlegetonia delatrix (a noctuid moth)
103, 536, 636
- Philobostroma quadrimaculatum (a grasshopper) 438, 498, 663, 699, 712
- Phloeotribus dentifrons (a bark beetle)
684, 688
- Phloeotribus frontalis
12
- Phoebis sennae (a pierid butterfly)
779, 781
- Phormia regina (black blow fly)
58
- Phorodon humuli (hop aphid)
472, 512
- Phorodon menthae
184
- Phrydiuchus spilmani (a weevil)
5
- Phrydiuchus tau
733, 754
- Phryganidia californica (California oakworm) 234, 284, 551
- Phthorimea operculella (potato tuberworm)
33, 182, 196, 481, 527, 588, 733, 756
- Phyllocoptruta oleivora (citrus rust mite)
24, 44, 82, 98, 162, 189, 224, 262, 310, 360, 378, 433, 453, 530, 549, 589, 621, 661, 721, 731, 741, 752
- Phyllophaga spp. (white grubs)
262, 308, 706, 750
- Phyllophaga anxia
373
- Phyllophaga fimbripes
488
- Phyllophaga knochi
12
- Phyllotreta pusilla (western black flea beetle) 183
- Phylloxera spp.
223, 377
- Phylloxera caryaecaulis
495, 500
- Phylloxera devastatrix (pecan phylloxera)
377
- Phylloxera notabilis (pecan leaf phylloxera) 223, 360, 377, 396
- Phylloxera vitifoliae (grape phylloxera)
710, 722
- Physokermes piceae (spruce bud scale)
12, 254, 432, 435, 476, 496, 499
- Pickleworm
(Diaphania nitidalis)
- Pieris protodice (southern cabbageworm)
202
- Pieris rapae (imported cabbageworm)
19, 101, 110, 193, 200, 201, 451, 512, 709, 752
- Pikonema alaskensis (yellowheaded spruce sawfly) 493, 514
- Pimpla punicipes (an ichneumon wasp)
328
- Pineapple scale
(Diaspis bromeliae)
- Pine bark aphid
(Pineus strobi)
- Pine colaspis
(Colaspis pini)
- Pine engraver
(Ips pini)
- Pine leaf chermid
(Pineus pinifoliae)
- Pine needleminer
(Exoteleia pinifoliella)
- Pine needle scale
(Phenacaspis pinifoliae)
- Pine root collar weevil
(Hylobius radicis)
- Pine spittlebug
(Aphrophora parallela)
- Pine tube moth
(Argyrotaenia pinatubana)
- Pine tussock moth
(Dasychira plagiata)
- Pineus pini (an adelgid)
7, 102, 112, 421, 517, 548, 555, 572, 625, 636, 734
- Pineus pinifoliae (pine leaf chermid)
280, 476
- Pineus strobi (pine bark aphid)
211, 311, 742
- Pineus sylvestris
12
- Pine webworm
(Tetralopa robustella)
- Pink bollworm
(Pectinophora gossypiella)
- Pinkwinged grasshopper
(Atractomorpha sinensis)
- Pinnaspis buxi (an armored scale)
687
- Pinnaspis strachani
314
- Pinyonia edulicola (a midge)
263, 265
- Pissodes sp. (a weevil)
732
- Pissodes affinis
106
- Pissodes alascensis
See P. rotundatus
- Pissodes approximatus (northern pine weevil) 13, 106, 276
- Pissodes canadensis
See P. approximatus
- Pissodes curriei
See P. affinis
- Pissodes dubius
106
- Pissodes engelmanni
See P. strobi
- Pissodes fraseri
See P. dubius
- Pissodes nigrae
See P. rotundatus
- Pissodes piperi
See P. dubius
- Pissodes rotundatus
106
- Pissodes schwarzi (Yosemite bark weevil)
106
- Pissodes similis
106
- Pissodes sitchensis
See P. strobi
- Pissodes strobi (Engelmann spruce weevil, Sitka spruce weevil, white pine weevil)
13, 106, 269, 275, 276, 514
- Pissodes utahensis
See P. similis
- Pissodes yosemite
See P. schwarzi
- Pistachio seed chalcid
(Megastigmus pistaciae)
- Pitch pine tip moth
(Rhyacionia rigidana)
- Planococcus citri (citrus mealybug)
103, 225
- Platypena scabra (green cloverworm)
67, 125, 174, 177, 199, 255, 294, 322, 510, 588, 602, 658, 670, 672, 720
- Platygaster obscuripennis (a platygasterid wasp) 548, 553
- Platynota idaeusalis (a tortricid moth)
216, 673, 696
- Platynota stultana
68, 234, 294, 397
- Platyptilia carduidactyla (artichoke plume moth) 204
- Platyptilia pica crataea
269
- Platytetranychus thujae (a spider mite)
13
- Plautia stali (a stink bug)
102, 687, 688
- Placia nearctica (a March fly)
245
- Pleocoma dubitalis dubitalis (a rain beetle) 709
- Plodia interpunctella (Indian meal moth)
45, 251, 252, 253, 363, 418
- Plum curculio
(Conotrachelus nenuphar)
- Plutella xylostella (diamondback moth)
101, 200, 201, 202, 214, 744, 756, 778
- Podabrus pruinosus (a cantharid beetle)
255
- Podisus maculiventris (spined soldier bug)
281, 572
- Podosesia syringae fraxini (ash borer)
361, 710
- Podosesia syringae syringae (lilac borer)
284
- Pogonomyrmex salinus (a harvester ant)
13
- Polididus armatissimus (spiny assassin bug) 105
- Polistes sp. (a vespid wasp)
725
- Pollenia rudis (cluster fly)
27, 33, 59, 104, 246, 350
- Polydesma umbricola (monkeypod moth)
101, 103, 112, 328, 499, 625
- Popillia japonica (Japanese beetle)
119, 242, 313, 363, 364, 382, 400, 401, 438, 458, 480, 498, 516, 534, 548, 554, 567, 571, 593, 594, 605, 606, 624, 633, 664, 672, 674
- Poplar-and-willow borer
(Cryptorhynchus lapathi)
- Poplar tentmaker
(Ichthyura inclusa)

Porthetria dispar (gypsy moth)
69, 118, 172, 272, 273, 313, 382, 402,
420, 438, 480, 481, 498, 516, 534, 535,
548, 554, 567, 571, 593, 606, 608, 620,
624, 633, 635, 664, 699, 712, 724, 733,
743

Potato aphid
(Macrosiphum euphorbiae)

Potato flea beetle
(Epitrix cucumeris)

Potato leafhopper
(Empoasca fabae)

Potato psyllid
(Paratrioza cockerelli)

Potato tuberworm
(Phthorimaea operculella)

Prionoxystus robiniae
(little carpenterworm) 284, 416

Pristiphora abbreviata (California
pearslug) 221, 323, 396, 402, 414

Pristiphora erichsonii (larch sawfly)
280

Prociphilus fraxinifolii (an aphid)
287, 346

Prociphilus tessellatus (woolly alder
aphid) 325

Prodenia ornithogalli
See Spodoptera ornithogalli

Prosapia bicincta (twolined spittlebug)
158, 631, 681, 706, 720

Protactia fusca (mango flower beetle)
499

Protalebrella brasiliensis (a leafhopper)
27, 102, 193, 327, 328, 756, 757

Proteoteras willingana (boxelder twig
borer) 346

Protophila australis (a piophilid fly)
481

Prune leafhopper
(Edwardsiana prunicola)

Pseudaletia unipuncta (armyworm)
105, 130-132, 156, 254, 259, 291, 319,
339, 355, 371, 389, 407, 425, 443, 467,
485, 505, 521, 561, 581, 599, 613, 629,
669, 705. Light traps: 5, 19, 60, 70,
128, 164, 192, 213, 237, 266, 298, 315,
329, 351, 366, 384, 404, 422, 440, 461,
482, 501, 518, 537, 556, 573, 595, 609,
626, 637, 666, 676, 689, 701, 715, 726,
735, 745, 758, 783

Pseudaonidia clavigera (an armored scale)
270

Pseudatomoscelis seriatus (cotton
flea hopper) 161, 358, 511, 526, 587

Pseudaulacaspis pentagona (white peach
scale) 4, 220, 270, 414, 721

Pseudocneorhinus bifasciatus (a Japanese
weevil) 269

Pseudococcus comstocki (Comstock mealybug)
401, 479, 663, 712

Pseudococcus longispinus (longtailed
mealybug) 779

Pseudohylesinus spp. (silver fir beetles)
271

Pseudopityophthorus pruinoseus (a bark
beetle) 684, 688

Pseudoplasia includens (soybean looper)
175, 176, 177, 181, 194, 196, 201, 255,
267

Psila rosae (carrot rust fly)
205

Psilocorsis faginella (an oecophorid moth)
753, 757

Psilopa leucostoma (an ephyrid fly)
205, 708

Psorophora spp. (mosquitoes)
243, 569

Psorophora ciliata
533

Psorophora confinnis
243, 496, 533, 591

Psoroptes equi (scab mite)
779

Psoroptes ovis (sheep scab mite)
58

Psylla pyricola (pear psylla)
110, 126, 210, 215, 219, 233, 262, 295,
310, 323, 359, 385, 396, 414, 452, 474,
492, 529, 535, 568, 589

Psylla uncatoides
100, 103, 105, 163, 237, 314, 665

Pterocoma bicolor (an aphid)
98, 99

Pteromalus venustus (a pteromalid wasp)
363, 365

Ptinus clavipes (brown spider beetle)
127, 128, 264, 265, 418, 723, 725

Pulex simulans (a flea)
298

Pulvinaria ericicola (a soft scale)
432, 435

Pulvinaria innumerabilis (cottony maple
scale) 286, 455

Pulvinaria psidii (green shield scale)
460

Puncturevine stem weevil
(Microlarinus lypriformis)

Purplebacked cabbageworm
(Evergestis pallidata)

Purple scale
(Lepidosaphes beckii)

Puss caterpillar
(Megalopyge opercularis)

Putnam scale
(Diapsidiotus ancyclus)

Pycondereus quadrimaculatus (a mirid bug)
555

Pyrobombus bimaculatus (a bumblebee)
534, 553

Pyrobombus impatiens
534, 553

Pyrobombus vagans
553

Pyrrhalta luteola (elm leaf beetle)
13, 99, 235, 256, 275, 284, 296, 325,
346, 380, 398, 436, 455, 495, 515, 531,
551, 569, 590, 605, 622, 634, 662, 664,
684, 688, 698

Q

Quadrapsidiotus juglansregiae (walnut
scale) 68, 295

Quadrapsidiotus perniciosus (San Jose
scale) 68, 97, 110, 162, 210, 220,
295, 474, 513, 529, 741

R

Range caterpillar
(Hemileuca oliviae)

Range crane fly
(Tipula simplex)

Rapid plant bug
(Adelphocoris rapidus)

Raspberry cane maggot
(Pegomya rubivora)

Redbacked cutworm
(Euxoa ochrogaster)

Redbanded leafroller
(Argyrotaenia velutinana)

Redbanded thrips
(Selenothrips rubrocinctus)

Redberry mite
(Acalitus essigi)

Red carpenter ant
(Camponotus ferrugineus)

Red flour beetle
(Tribolium castaneum)

Redheaded pine sawfly
(Neodiprion lecontei)

Redhumped caterpillar
(Schizura concinna)

Redlegged grasshopper
(Melanoplus femurrubrum)

Redlegged ham beetle
(Necrobia rufipes)

Rednecked cane borer
(Agriilus ruficollis)

Rednecked peanutworm
(Stegasta bosqueella)

Reticulitermes spp.
164, 191

Reticulitermes flavipes (eastern
subterranean termite) 99, 111, 164,
191, 212, 236, 249, 567

Reticulitermes hesperus (western
subterranean termite) 69, 84, 249,
250

Reticulitermes tibialis
250

Reticulitermes virginicus
249

Rhabdophaga salicistriticoides
(a cecidomyiid midge) 553

Rhagoletis spp.
452, 492

Rhagoletis cingulata (cherry fruit fly)
219, 433, 452, 474, 492, 529, 549, 589

Rhagoletis completa (walnut husk fly)
224, 433, 549, 589, 605, 621, 634, 697,
731, 733, 741

Rhagoletis fausta (black cherry fruit
fly) 219, 452, 474, 492

Rhagoletis indifferens (western cherry
fruit fly) 215, 219, 382, 452, 474,
492, 571

Rhagoletis mendax (blueberry maggot)
227

Rhagoletis pomonella (apple maggot)
217, 474, 492, 549, 589, 633, 673

Rhinacloa forticornis (a plant bug)
103

Rhinocyllus conicus (a weevil)
711

Rhipicephalus sanguineus (brown dog
tick) 26, 33, 247, 363, 399, 418, 711

Rhipidothrips brunneus (a thrips)
155

Rhizoecus americanus (a root mealybug)
83, 85

Rhizoglyphus sp. (an acarid mite)
731

Rhodesgrass scale
(Antonina graminis)

Rhodobaenus tredecimpunctatus
(cocklebur weevil) 257

Rhopalosiphum spp.
308

Rhopalosiphum fitchii (apple grain
aphid) 17, 57, 154, 210, 270, 295,
296, 324, 344, 585

Rhopalosiphum maidis (corn leaf aphid)
3, 17, 31, 67, 81, 97, 109, 132, 136,
154, 161, 187, 209, 259, 291, 307,
319, 339, 355, 371, 390, 407, 425, 444,
467, 485, 505, 515, 521, 541, 561, 581,
599, 614, 629, 669, 675, 705, 734, 744,
749, 782

Rhopalosiphum nymphaeae (waterlily
aphid) 85

Rhopalosiphum padi
23, 139, 154, 260, 295, 308, 340, 349,
562, 694, 777, 781

Rhopobota naevana (blackheaded fireworm)
397

Rhyacionia buoliana (European pine shoot
moth) 13, 263, 269, 275, 276, 296,
324, 361, 379, 385, 397, 416, 454, 712

Rhyacionia bushnelli (an olethreutid
moth)* 269, 481, 662, 664, 742, 779,
781

* Also carried as Rhyacionia frustrana bushnelli.

Rhyacionia frustrana (Nantucket pine tip moth) 275, 277, 311, 345, 361, 378, 397, 416, 476, 481, 493, 568, 742
Rhyacionia frustrana bushnellii
See R. bushnellii
Rhyacionia rigidana (pitch pine tip moth) 58, 60
Rhyncolus spretus (a weevil) 13
Rhytidoporus indentatus (a cydnid bug)
Rhyzopertha dominica (lesser grain borer) 251, 252
Rice stink bug (Oebalus pugnax)
Rice water weevil (Lissorhoptrus oryzophilus)
Rice weevil (Sitophilus oryzae)
Ringlegged earwig (Euborellia annulipes)
Rocky Mountain wood tick (Dermacentor andersoni)
Rodolia cardinalis (vedalia) 434, 697, 752
Rogas sp. (a braconid) 118, 458
Rose aphid (Macrosiphum rosae)
Rose chafer (Macrodactylus subspinosus)
Rose leafhopper (Edwardsiana rosae)
Rosy apple aphid (Dysaphis plantaginea)
Roundheaded pine beetle (Dendroctonus adjunctus)
Rugaspidiotus nebulosus (an armored scale) 293, 299
Rumina decollata (a snail) 778, 781
Rustic borer (Xylotrechus colonus)
Rusty plum aphid (Hysteroneura setariae)

S

Sabulodes caberata (omnivorous looper) 226
Saddled prominent (Heterocampa guttivitta)
Sagebrush defoliator (Aroga websteri)
Saissetia coffeae (hemispherical scale) 270
Saissetia miranda (a soft scale) 32, 82
Saissetia oleae (black scale) 24, 82, 98, 163, 189, 225, 262, 310, 360, 378, 434, 453, 530, 550, 621, 661, 675, 721, 731, 741
Saltmarsh caterpillar (Estigmene acrea)
Sand wireworm (Horistonotus uhlerii)
San Jose scale (Quadraspidiotus perniciosus)
Sanninoidea exitiosa (peachtree borer) 17, 58, 215, 310, 377, 452, 721
Sanninoidea exitiosa graefi (western peachtree borer) 97
Sapyga pumila (a sapygid wasp) 253
Saratoga spittlebug (Aphrophora saratogensis)
Satin moth (Stilpnotia salicis)
Sawtoothed grain beetle (Oryzaephilus surinamensis)

Sey stink bug (Chlorochroa sayi)
Scab mite (Psoroptes equi)
Scaeva pyrastris (a syrphid fly) 570
Scaphytopius loricatus (a leafhopper) 403
Scapteriscus spp. (mole crickets) 182, 203, 320, 739
Scenopinus adventicius (a scenopinid fly) 499, 500
Scetothelys grandiclava (a pteromalid wasp) 699, 700
Schistocerca americana (American grasshopper) 158
Schistocerca obscura 158
Schistocerca vaga (vagrant grasshopper) 105, 266, 439, 665
Schizaphis graminum (greenbug) 3, 17, 23, 26, 31, 43, 57, 67, 81, 97, 109, 125, 130, 137-139, 154, 161, 187, 209, 231, 254, 255, 259, 265, 292, 307, 319, 339, 349, 355, 371, 390, 407, 425, 444, 468, 481, 485, 506, 515, 521, 522, 535, 541, 562, 582, 592, 594, 599, 614, 629, 633, 655, 664, 669, 679, 693, 694, 719, 729, 739, 749, 777
Schizura concinna (redhumped caterpillar) 699
Schreckensteiniella festaliella (a helioidid moth) 46, 782
Sciaphilus asperatus (a weevil) 754, 757
Sciara garretti (a sciariid fly) 34, 129
Sciopithes spp. 269
Sciopithes obscurus (obscure root weevil) 531
Scirtothrips citri (citrus thrips) 224, 225, 263, 415, 434, 673, 722
Scolia dubia (a scoliid wasp) 254
Scolytus multistriatus (smaller European elm bark beetle) 13, 285, 325, 380, 397, 402, 432, 436, 455, 460, 514, 754, 757, 779
Scolytus rugulosus (shothole borer) 360
Scolytus ventralis (fir engraver) 271, 272
Scotorythra sp. (a geometrid moth) 665
Screwworm (Cochliomyia hominivorax)
Scutellista cyanea (a pteromalid wasp) 103, 112
Scutigerella causeyae 13, 57, 60
Scutigerella immaculata (garden symphylan) 427, 473, 632
Scymnus spp. (lady beetles) 399, 418, 515
Seedcorn beetle (Agonoderus lecontei)
Seedcorn maggot (Hylemya platura)
Sehirus cinctus albonotatus (a cydnid bug) 13
Selca brunella (melastoma borer) 27, 105, 165, 299, 625, 675
Selenothrips rubrocinctus (redbanded thrips) 19, 725
Semiothisa sp. (a geometrid moth) 59, 70
Semiothisa punctolineata 778
Semiothisa santaremaria 13, 27, 100, 103, 165, 237, 327, 328, 499, 500, 608, 782

Sepedon sauteri (a sciomyzid fly) 85, 100, 105, 237
Sequoia pitch moth (Vespamina sequoiae)
Sericothrips variabilis (a thrips) 200
Sheep bot fly (Oestrus ovis)
Sheep ked (Melophagus ovinus)
Sheep scab mite (Psoroptes ovis)
Shortnosed cattle louse (Haematopinus eurysternus)
Shothole borer (Scolytus rugulosus)
Sibine stimulea (saddleback caterpillar) 13, 733
Sideridis rosea (a noctuid moth) 13
Silpha bituberosa (a carrion beetle) 183, 376, 394
Silverspotted tiger moth (Halisdotia argentata)
Simulium spp. (black flies) 245, 456, 477, 515
Simulium jenningsi 245, 515
Simulium slossonae 239, 245
Simulium venustum 245, 347, 362, 399, 515
Simulium vittatum 381
Silpha flava (yellow sugarcane aphid) 31, 152, 356, 508, 512, 524, 535, 545
Siteroptes reniformis (a pyemotid mite) 13, 101
Sitka spruce weevil (Pissodes strobi)
Sitona cylindricollis (sweetclover weevil) 165, 171, 502, 565, 567
Sitona hispidulus (clover root curculio) 357, 429
Sitona lineatus (pea leaf weevil) 199, 343, 352, 359, 376, 395, 402, 527, 585, 594
Sitona scissifrons (a weevil) 67, 70
Sitophilus oryzae (rice weevil) 18, 45, 69, 164, 191, 252
Sitotroga cerealella (Angoumois grain moth) 18, 45, 252
Sixspotted mite (Ectetranychus sexmaculatus)
Slash pine sawfly (Neodiprion merkei)
Slender seedcorn beetle (Clivina impressifrons)
Smaller European elm bark beetle (Scolytus multistriatus)
Smokybrown cockroach (Periplaneta fuliginosa)
Solenopotes capillatus (a wrinkled sucking louse) 246
Solenopsis geminata (fire ant) 778
Solenopsis saevissima richteri (imported fire ant) 34, 45, 46, 84, 99, 128, 164, 165, 192, 213, 236, 364, 385, 593, 594, 755, 757
Solenopsis xyloni (southern fire ant) 69, 750
Sorghum midge (Contarinia sorghicola)
Sorghum webworm (Celama sorghiella)
Sourbush seed fly (Acinia picturata)
South African emex weevil (Apion antiquum)

- Southern cabbageworm
(*Pieris protodice*)
- Southern cattle tick
(*Boophilus microplus*)
- Southern chinch bug
(*Blissus insularis*)
- Southern corn rootworm
(*Diabrotica undecimpunctata howardi*)
- Southern cornstalk borer
(*Diatraea crambidoides*)
- Southern fire ant
(*Solenopsis xyloni*)
- Southern garden leafhopper
(*Empoasca solana*)
- Southern green stink bug
(*Nezara viridula*)
- Southern house mosquito
(*Culex pipiens quinquefasciatus*)
- Southern lyctus beetle
(*Lyctus planicollis*)
- Southern pine beetle
(*Dendroctonus frontalis*)
- Southern potato wireworm
(*Conoderus falli*)
- Southern red mite
(*Oligonychus ilicis*)
- Southwestern corn borer
(*Diatraea grandiosella*)
- Soybean cyst nematode
(*Heterodera glycines*)
- Soybean looper
(*Pseudoplusia includens*)
- Sphenophorus spp. (billbugs)
157, 408
- Sphenophorus callosus*
151, 408, 409
- Sphenophorus maidis* (maize billbug)
151, 372, 391, 408, 409, 508
- Sphenophorus parvulus* (bluegrass
billbug) 157, 509
- Sphenophorus phoeniciensis*
3, 373, 545
- Sphenophorus venatus*
157
- Sphenophorus venatus confluens*
81, 356
- Sphenophorus venatus vestitus*
46, 421
- Spicaria rileyi* (a fungus)
177, 181, 720
- Spider mites
24, 206, 377, 492, 493, 513, 549, 568,
584, 616, 630, 657, 673, 683
- Spilonota ocellana* (eyespotted bud moth)
359
- Spinach leafminer
(*Pegomya hyoscyami*)
- Spined soldier bug
(*Podisus maculiventris*)
- Spiny assassin bug
(*Polidius armatissimus*)
- Spirea aphid
(*Aphis spiraeicola*)
- Spissistilus festinus* (threecornered
alfalfa hopper) 81, 448, 449, 489,
510, 565, 586, 617, 658, 681, 695, 707,
720, 730, 751, 778
- Spodoptera exigua* (beet armyworm)
13, 34, 43, 44, 57, 97, 101, 109, 110,
112, 146, 175, 177, 181, 183, 184, 196,
201, 203, 204, 226, 266, 267, 294, 307,
322, 323, 342, 343, 374, 394, 411, 429,
430, 471, 489, 511, 526, 545, 566, 587,
588, 602, 617, 632, 681, 687, 700, 740,
751, 756, 782. Light traps: 60, 128,
164, 192, 213, 237, 266, 298, 315, 329,
351, 366, 384, 404, 422, 440, 461, 482,
501, 518, 537, 556, 573, 595, 609, 626,
637, 666, 676, 689, 701, 715, 726, 735,
745, 758, 783
- Spodoptera frugiperda* (fall armyworm)
134, 135, 142, 146, 153, 156, 175, 255,
307, 309, 339, 488, 507, 524, 544, 561,
563, 566, 583, 585, 600, 602, 615, 630,
631, 657, 670, 679, 680, 681, 694, 705,
706, 709, 719, 720, 729, 730, 739, 740,
750. Light traps: 315, 351, 384, 422,
461, 482, 501, 518, 537, 556, 573, 595,
609, 626, 637, 666, 676, 689, 701, 715,
726, 735, 745, 758, 783
- Spodoptera ornithogalli* (yellowstriped
armyworm)* 146, 258, 358, 374, 408,
512, 547, 566, 659, 707, 730. Light
traps: 99, 128, 164, 192, 213, 237,
266, 298, 315, 329, 351, 366, 384, 404,
422, 440, 461, 482, 501, 518, 537, 556,
573, 595, 609, 626, 637, 666, 676, 689,
701, 715, 726, 735, 745, 758, 783
- Spodoptera praefica* (western
yellowstriped armyworm) 157, 172, 200,
233, 451, 565, 585, 588, 617, 631, 670,
681, 695, 706
- Spotted alfalfa aphid
(*Therioaphis maculata*)
- Spotted asparagus beetle
(*Crioceris duodecimpunctata*)
- Spotted cucumber beetle
(*Diabrotica undecimpunctata howardi*)
- Spotted cutworm
(*Amathes c-nigrum*)
- Spotted garden slug
(*Limax maximus*)
- Spring cankerworm
(*Paleacrita vernata*)
- Spruce aphid
(*Elatobium abietinum*)
- Spruce beetles
271
- Spruce beetle
(*Dendroctonus rufipennis*)
- Spruce bud scale
(*Physokermes piceae*)
- Spruce budworm
(*Choristoneura fumiferana*)
- Spruce needleminer
(*Taniva albolineana*)
- Spruce spider mite
(*Oligonychus ununguis*)
- Squash beetle
(*Epilachna borealis*)
- Squash bug
(*Anasa tristis*)
- Squash vine borer
(*Melittia cucurbitae*)
- Stable fly
(*Stomoxys calcitrans*)
- Stalk borer
(*Papaipema nebris*)
- Stegasta bosqueella* (rednecked
peanutworm) 178, 566, 659, 740
- Stegophylla quercina* (an aphid)
742, 743
- Stelidota geminata* (a sap beetle)
227, 415
- Stenotarsonemus pallidus* (cyclamen mite)
421
- Stenodema* spp. (grass bugs)**
497
- Stephanitis takeyai* (a lace bug)
13, 512, 513, 567, 568, 605, 608, 662,
683, 688, 732, 733, 753, 757
- Stephostethus liratus* (a scavenger
beetle) 297, 299
- Stethorus* sp. (a lady beetle)
624, 673
- Stethorus picipes*
381, 456, 478, 570
- Stibadium spumosum* (a noctuid moth)
13
- Stictoptera subobliqua* (a noctuid moth)
314
- Stilpnolia salicis* (satin moth)
284, 398, 551
- Stink beetle
(*Nomius pygmaeus*)
- Stomblor moth
(*Heliothis stombleri*)
- Stomoxys calcitrans* (stable fly)
190, 235, 239, 242, 297, 362, 380, 417,
456, 477, 496, 515, 533, 552, 570, 591,
606, 623, 634, 663, 674, 685, 698, 723,
754
- Strauzia longipennis* (sunflower maggot)
604, 619
- Strawberry crownminer
(*Aristotelia fragariae*)
- Strawberry crown moth
(*Synanthedon bibionipennis*)
- Strawberry leafroller
(*Ancylys compta fragariae*)
- Strawberry root weevil
(*Brachyrhinus ovatus*)
- Strawberry spider mite
(*Tetranychus turkestanii*)
- Strawberry weevil
(*Anthonomus signatus*)
- Strigoderma arboricola* (a scarab)
752
- Striped blister beetle
(*Epicauta vittata*)
- Striped cucumber beetle
(*Acalymma vittatum*)
- Striped horse fly
(*Tabanus lineola*)
- Striped mealybug
(*Ferrisia virgata*)
- Sugarbeet crown borer
(*Hulstia undulata*)
- Sugarbeet root aphid
(*Pemphigus populivinae*)
- Sugarbeet root maggot
(*Tetanops myopaeformis*)
- Sugarbeet wireworm
(*Limonius californicus*)
- Sugarcane beetle
(*Buethcola rugiceps*)
- Sugarcane borer
(*Diatraea saccharalis*)
- Sugarcane leafhopper
(*Perkinsiella saccharicida*)
- Sugarcane leafroller
(*Hedylepta accepta*)
- Sunflower maggot
(*Strauzia longipennis*)
- Sunflower moth
(*Homocoesoma electellum*)
- Supella longipalpa* (brownbanded cockroach)
4, 5, 84, 85, 250
- Superb plant bug
(*Adelphocoris superbus*)
- Sweetclover aphid
(*Therioaphis riehmi*)
- Sweetclover root borer
(*Walshia miscecolorella*)
- Sweetclover weevil
(*Sitona cylindricollis*)
- Sweetpotato flea beetle
(*Chaetocnema confinis*)
- Sweetpotato hornworm
(*Agrius cingulatus*)
- Sweetpotato leafminer
(*Bedeellia orchilella*)
- Sweetpotato vine borer
(*Omphisa anastomalis*)
- Sweetpotato weevil
(*Cylas formicarius elegantulus*)
- Symmerista albifrons* (a notodontid moth)
261
- Symmerista canicosta*
273, 281, 435, 454, 476, 494, 514, 531,
551, 622

* Also carried as *Prodenia ornithogalli*
** Carried in error as *Stenoderma* spp.
in Volume 21.

Synanthedon bibionipennis (strawberry crown moth) 226
Synanthedon pictipes (lesser peachtree borer) 215, 216, 310, 414, 433
Synanthedon tipuliformis (currant borer) 189, 226
Syrbula admirabilis (a grasshopper) 663
Syrphus opinator (a syrphid fly) 570
Systema blanda (palestriped flea beetle) 174

T

Tabanid flies
 245, 456, 477, 496, 533, 570, 606
Tabanus spp. (tabanid flies)
 245, 496, 533, 570
Tabanus americanus
 456
Tabanus atratus (black horse fly)
 245, 456
Tabanus cymatophorus
 732, 733
Tabanus lineola (striped horse fly)
 245
Tabanus punctifer
 533
Tabanus sulcifrons
 456
Tachinaephagus zealandicus (an encyrtid wasp) 104
Tachypterellus quadrigibbus (apple curculio) 217
Taeniothrips hawaiiensis (Hawaiian thrips) 101, 102, 266, 365
Taeniothrips simplex (gladiolus thrips) 271
Taniva albolineana (spruce needleminer) 279, 324
Tarnished plant bug
 (Lygus lineolaris)
 Taro leafhopper
 (Tarophagus proserpina)
Tarophagus proserpina (taro leafhopper) 59, 102, 536
 Tawny garden slug
 (Limax flavus)
 Tea scale
 (Piorinia theae)
Teleonemia scrupulosa (lantana lace bug) 19
Telsimia nitida (a lady beetle)
 34, 85, 103, 193, 266, 328, 365, 594, 714
Tempyra biguttata (a lygaeid bug) 512
Tenebroides mauritanicus (cadelle) 723
Tephritis subpura (a tephritid fly) 13
 Terrapin scale
 (Lecanium nigrofasciatum)
Tetanops myopaeformis (sugarbeet root maggot) 183, 188, 192, 323, 327, 343, 359, 376, 395, 412, 430, 449, 472, 491, 511, 526, 547
Tethida cordigera (blackheaded ash sawfly) 398
Tetraleurodes mori (mulberry whitefly) 126
Tetralopha asperatella (a pyralid moth) 753, 757
Tetralopha militella
 753, 757
Tetralopha robustella (pine webworm) 277
Tetramorium caespitum (pavement ant) 127

Tetranychus spp.
 140, 176, 179, 181, 198, 206, 549, 621, 683
Tetranychus canadensis (fourspotted spider mite) 13
Tetranychus cinnabarinus (carmine spider mite) 27, 85, 100, 102, 129, 237, 314, 345, 365, 415, 528, 555, 700
Tetranychus mcDanieli (McDaniel spider mite) 221, 222, 227, 295, 324, 327, 344, 377, 385, 419, 456, 549, 570, 621, 673
Tetranychus pacificus (Pacific spider mite) 176
Tetranychus tumidus (tumid spider mite) 101, 421, 714, 725
Tetranychus turkestanii (strawberry spider mite) 178, 343, 413
Tetranychus urticae (twospotted spider mite) 32, 82, 110, 126, 153, 176, 178, 179, 181, 194, 198, 200, 204, 210, 215, 221, 222, 224, 227, 270, 323, 324, 435, 456, 457, 492, 513, 529, 546, 548, 549, 564, 568, 584, 586, 604, 616, 619, 621, 671, 680, 683
Tetrastichus incertus (a eulophid wasp) 166, 169, 254, 585, 620, 624, 663, 664
Tetrastichus julis
 254, 400, 457, 497
 Texas citrus mite
 (Eutetranychus banksi)
 Texas leafcutting ant
 (Atta texana)
Theba pisana (white garden snail) 33, 84, 122
Therioaphis maculata (spotted alfalfa aphid) 3, 23, 31, 43, 57, 67, 81, 97, 109, 130, 140-141, 161, 187, 209, 231, 259, 292, 307, 319, 339, 355, 372, 390, 408, 426, 444, 562, 582, 614, 656, 664, 669, 679, 693, 705, 719, 749, 777, 781
Therioaphis riehmii (sweetclover aphid) 545, 548, 565, 567, 658, 664
Therioaphis trifolii (yellow clover aphid) 393, 402
Thermacarax nevadensis (a thermacarid mite) 249
Thermobia domestica (firebrat) 191
 Thirtenspotted lady beetle
 (Hippodamia tredecimpunctata tibialis)
 Threecornered alfalfa hopper
 (Spissistilus festinus)
 Threelined potato beetle
 (Lema trilineata)
 Thrips
 178, 322, 375, 394, 471, 740
Thrips tabaci (onion thrips) 112, 193, 205, 460, 528, 588, 604, 709, 740
Thurberiphaga diffusa (a noctuid moth) 459
Thyanta rugulosa (a stink bug) 184
Thyridopteryx ephemeriformis (bagworm) 58, 110, 190, 211, 267, 268, 345, 397, 415, 454, 475, 513, 722
Tinocallis caryaefoliae (black pecan aphid) 215, 223, 530, 697, 710
Tiphia vernalis (a tiphid wasp) 400
Tipula paludosa (European crane fly) 116, 213, 419, 624, 663, 674, 686, 743, 755
Tipula simplex (range crane fly) 31, 43, 81, 260
 Tobacco budworm
 (Heliothis virescens)
 Tobacco flea beetle
 (Epitrix hirtipennis)
 Tobacco hornworm
 (Manduca sexta)

Tobacco moth
 (Ephestia elutella)
 Tobacco thrips
 (Frankliniella fusca)
 Tobacco wireworm
 (Conoderus vespertinus)
 Tomato fruitworm
 (Heliothis zea)
 Tomato hornworm
 (Manduca quinquemaculata)
 Tomato pinworm
 (Keiferia lycopersicella)
 Tomato russet mite
 (Aculops lycopersici)
Toumeyella liriodendri (tuliptree scale) 480, 712, 714, 755, 781
Toxoptera citricida (brown citrus aphid) 403
Trachyphloeus bifoveolatus (a weevil) 14
Trachyrhachys kiowa (a grasshopper) 118, 699
 Transverse lady beetle
 (Coccinella transversoguttata)
Trialeurodes abutilonea (bandedwing whitefly) 711, 720, 751, 757
Trialeurodes vaporariorum (greenhouse whitefly) 27, 85, 102, 110, 112, 193, 197, 200, 237, 263, 270, 271, 314, 350, 383, 439, 700, 723, 744, 753, 779
Triatoma sanguisuga (bloodsucking conenose) 4
Tribolium sudax (American black flour beetle) 7, 253
Tribolium brevicornis (a darkling beetle) 14
Tribolium castaneum (red flour beetle) 252, 780
Tribolium confusum (confused flour beetle) 252, 780
Trichogramma spp. (minute egg parasites)
 314, 375, 394, 675, 680, 700, 714, 744
Trichogramma minutum
 254
Trichopoda statutus (a pteromalid wasp) 400, 402
Trichoplusia ni (cabbage looper)
 57, 101, 140, 175, 177, 181, 182, 194, 195, 200, 201, 203, 204, 267, 322, 323, 358, 527, 548, 587, 603, 604, 613, 620, 632, 633, 658, 660, 697, 708, 709, 729, 741, 751. Light traps: 192, 315, 329, 351, 366, 384, 404, 422, 440, 461, 482, 501, 518, 537, 556, 573, 595, 609, 626, 637, 666, 676, 689, 701, 715, 726, 735, 745, 758, 783
Trichopoda spp. (tachina flies) 103
Trichopoda pennipes
 365, 572, 625
Trichopoda pennipes var. pilipes
 460, 555
Trimerotropis pallidipennis
 (a grasshopper) 460
Trioxys pallidus (a braconid) 712
Trioza sp. (a psyllid) 782
Trioza tripunctata
 415
Trissolcus sp. (a scelionid wasp) 46, 214
Trogoderma glabrum (a dermestid beetle) 253
Trogoderma granarium (khapra beetle) 350
Trogoderma simplex
 191
Trogoderma variabile
 14, 69, 104, 191, 251
 Tropical fowl mite
 (Ornithonyssus bursa)

Tropical horse tick
(Anocentor nitens)
Tropical rat mite
(Ornithonyssus bacoti)
Tropidostepes amoenus (ash plant bug)
286
Tropidostepes illitus
312
Tropidostepes pacificus
325
Trox suberosus (a scarab)
14, 105
Tuber flea beetle
(Epitrix tuberosa)
Tulip bulb aphid
(Dysaphis tulipae)
Tuliptree scale
(Toumeyella liriodendri)
Tumid spider mite
(Tetranychus tumidus)
Turnip aphid
(Hyadaphis pseudobrassicae)
Twicestabbed lady beetle
(Chilocorus stigma)
Twig girdler
(Oncideres cingulata)
Twig pruner
(Elaphidionoides villosus)
Twolined spittlebug
(Prosapia bicincta)
Twomarked treehopper
(Enchenopa binotata)
Twospotted lady beetle
(Adalia bipunctata)
Twospotted spider mite
(Tetranychus urticae)
Twospotted stink bug
(Perillus bioculatus)
Twostriped grasshopper
(Melanoplus bivittatus)
Typhlocyba pomaria (white apple
leafhopper) 220, 377, 549, 709
Typhlodromus spp. (phytoseiid mites)
377, 513
Typhlodromus fallacis
256, 549
Tyria jacobaeae (a cinnabar moth)
256, 516
Tytthus mundulus (cane leafhopper egg
sucker) 102, 214

U

Udea profundalis (false celery leaf-tier)
82, 620, 751
Ufens elimaeeae (a trichogrammatid wasp)
734
Uglynest caterpillar
(Archips cerasivoranus)
Unaspis citri (an armored scale)
24, 44, 57, 82, 98, 163, 189, 210, 224,
225, 234, 262, 311, 324, 327, 360, 378,
434, 453, 530, 550, 590, 621, 661, 721,
731, 741
Unaspis euonymi (euonymus scale)
270
Undulambia polystichalis (a pyralid moth)
269
Uranotaenia sapphirina (a mosquito)
698
Uroplata girardi (lantana hispid)
34, 536

V

Vagrant grasshopper
(Schistocerca vaga)
Vanduzeeae segmentata (a treehopper)
687

Vanessa cardui (painted lady)
527
Variable oakleaf caterpillar
(Heterocampa manteo)
Variegated cutworm
(Peridroma saucia)
Vasates quadripedes (maple bladdergall
mite) 495, 500
Vedalia
(Rodolia cardinalis)
Vegetable leafminer
(Liriomyza munda)
Vegetable weevil
(Listroderes costirostris obliquus)
Velveteen caterpillar
(Anticarsia gemmatalis)
Vespa crabro germana (giant hornet)
246, 672, 674
Vespamina sequoiae (Sequoia pitch moth)
684
Vespa spp. (vespid wasps)
711
Vespa maculata (baldfaced hornet)
246, 711
Vespa maculifrons
246, 711
Vespa pensylvanica
347
Vetch bruchid
(Bruchus brachialis)
Vexans mosquito
(Aedes vexans nocturnus)
Virginiancreeper leafhopper
(Erythroneura zizcae)
Vitacea polistiformis (grape root borer)
227

W

Walkingstick
(Diaperomera femorata)
Walnut aphid
(Chromaphis juglandicola)
Walnut caterpillar
(Datana integerrima)
Walnut husk fly
(Rhagoletis completa)
Walnut scale
(Quadraspidiotus juglansregiae)
Walshia miscecolorella (sweetclover root
borer) 14
Waterlily aphid
(Rhopalosiphum nymphaeae)
Western bean cutworm
(Loxagrotis albicosta)
Western black flea beetle
(Phyllotreta pusilla)
Western blackheaded budworm
(Acleris gloverana)
Western cherry fruit fly
(Rhagoletis indifferens)
Western corn rootworm
(Diabrotica virgifera)
Western drywood termite
(Incisitermes minor)
Western field wireworm
(Limonius infuscatus)
Western flower thrips
(Frankliniella occidentalis)
Western grape leaf skeletonizer
(Harrisina brillians)
Western peachtree borer
(Sanninoidea exitiosa graefi)
Western pine beetle
(Dendroctonus brevicomis)
Western spotted cucumber beetle
(Diabrotica undecimpunctata
undecimpunctata)
Western spruce budworm
(Choristoneura occidentalis)

Western subterranean termite
(Reticulitermes hesperus)
Western tent caterpillar
(Malacosoma californicum)
Western tussock moth
(Herocampa vetusta)
Western yellowstriped armyworm
(Spodoptera praefica)
West Indian sugarcane root borer
(Diaprepes abbreviatus)
Wheat curl mite
(Eriophyes tulipae)
Wheat head armyworm
(Faronta diffusa)
Wheat stem maggot
(Meromyza americana)
Wheat stem sawfly
(Cephus cinctus)
White apple leafhopper
(Typhlocyba pomaria)
White cutworm
(Euxoa scandens)
Whiteflies
24, 44, 82, 98, 262, 311, 360, 378,
434, 453, 530, 550, 590, 621, 632, 661,
722, 740, 741
White garden snail
(Theba pisana)
Whitemarked tussock moth
(Herocampa leucostigma)
White peach scale
(Pseudaulacaspis pentagona)
White pine sawfly
(Cinara strobi)
White pine sawfly
(Neodiprion pinetum)
White pine weevil
(Pissodes strobi)
Willowbeaked gall midge
(Mayetiola rigidae)
Winter grain mite
(Penthaeus major)
Winter tick
(Dermacentor albipictus)
Wireworms
142, 151-152, 183, 356, 409, 412, 427
Woolly alder aphid
(Prociophilus tessellatus)
Woolly apple aphid
(Eriosoma lanigerum)
Woolly whitefly
(Aleurotrixus floccosus)

X

Xanthopimpla punctata (an ichneumon
wasp) 7, 104, 328
Xenochalepus dorsalis (locust leafminer)
286, 634
Xiphidria maculata (a xiphidriid wasp)
14
Xyalophora quinquelineata (a figitid
wasp) 254
Xyleborus ferrugineus (an ambrosia
beetle) 14
Xylomyges curialis (a noctuid moth)
378
Xylomyges dolosa
14
Xylosandrus compactus (a bark beetle)
104, 285, 555, 608, 665, 782
Xylotrechus colonus (rustic borer)
418

Y

Yellow clover aphid
(Therioaphis trifolii)
Yellowheaded spruce sawfly
(Pikonema alaskensis)
Yellow jackets
246
Yellownecked caterpillar
(Datana ministra)
Yellow scale
(Aonidiella citrina)
Yellowstriped armyworm
(Spodoptera ornithogalli)
Yellow sugarcane aphid
(Sipha flava)
Yosemite bark weevil
(Pissodes schwarzi)
Yuma spider mite
(Eotetranychus yumensis)

Z

Zebra caterpillar
(Ceramica picta)
Zeiraphera vancouverana (an olethreutid
moth) 14, 279
Zimmerman pine moth
(Diorcyctria zimmermani)
Zonosemata electa (pepper maggot)
198, 784
Zootermopsis angusticollis (Pacific
dampwood termite) 45, 191, 250, 780

UNITED STATES DEPARTMENT OF AGRICULTURE
Hyattsville, Maryland 20782

OFFICIAL BUSINESS

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE

